



CITYCOCO ELECTRIC SCOOTER



ES5018 FOR ADULT

Product size: 1430x370x700mm

Motor power: 500W hub brushless motor

Battery capacity: 12Ah, 48V lithium battery

Load Capacity: >120kgs/396lbs

Charging time: 1-2 hours

Max speed: 35-45km/h(based on request)

Range per charge: Approx 40km

48V 12Ah: Around 30KM per charge

60V 12Ah: Around 55KM per charge

Brake: Front and Rear Disc Brake

Tire size: 6inch tubeless tire

Wheelbase: 1080mm

Seat height: 630mm

Climbing Capacity: >18 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 41kg

Gross weight: 44kgs

Out carton size: 143 x 28 x 75cm/1pc

Container: 92pcs/20', 192pcs/40', 226cs/40'HQ



ES8004I FOR ADULT

Product size: 1756x750x700mm

Motor power: 1000W/1500W hub brushless motor

Battery capacity: 12Ah-20Ah, 60V lithium battery

Load Capacity: >120kgs

Charging time: 4-6 hours

Max speed: 35-55km/h(based on request)

60V 12Ah Range per charge: 35km

60V 15.6Ah, 18.2Ah, 20Ah Available

Brake: Front and Rear Disc Brake

Tire size: 18*9.50-8 tubeless tire

Wheelbase: 1256mm

Seat height: 700mm

Climbing Capacity: >18 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 60kg/132.00lbs

Gross weight: 63kgs/138.60lbs

Out carton size: 175 x 40 x 80cm/1pc

Container:

45pcs/20', 87pcs/40', 108pcs/40'HQ



ES8004IV FOR ADULT

Product size: 1756x750x700mm

Motor power: 1000W/1500W hub brushless motor

Battery capacity: 12Ah-20Ah, 60V lithium battery

Load Capacity: >120kgs

Charging time: 4-6 hours

Max speed: 35-55km/h(based on request)

60V 12Ah Range per charge: 35km

60V 15.6Ah, 18.2Ah, 20Ah Available

Brake: Front and Rear Disc Brake

Tire size: 18*9.50-8 tubeless tire

Wheelbase: 1256mm

Seat height: 700mm

Climbing Capacity: >18 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 60kg/132.00lbs

Gross weight: 63kgs/138.60lbs

Out carton size: 175 x 40 x 80cm/1pc

Container:

45pcs/20', 87pcs/40', 108pcs/40'HQ

CITYCOCO AND ELECTRIC GO KART



ES8006 FOR ADULT

Product size: 1756x750x700mm

Motor power: 1500W hub brushless motor

Battery capacity: 20Ah, 60V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 4-6 hours

Speed: 50km/h; 31miles

Range per charge: 60km; 37miles

Brake: Front and Rear Disc Brake

Tire size: 10inch Aluminum wheelrim

Wheelbase: 1256mm

Seat height: 700mm

Climbing Capacity: >18 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Iron cage with carton outside

Net weight: 105kgs; 231lbs

Gross weight: 120kgs; 264lbs

Out carton size: 186x38x80/1pc

Container:

42pcs/20', 102pcs/40'HQ



EG300 I FOR BIG ADULT TWO SEAT

Product size: 2600x1600x1480mm

Motor: 3000W AC Motor

Transmission: Shaft drive

Battery: 60V 50AH Lead acid

Brake: Front & Rear Hydraulic disc brake

Charging time: 8 hours

Range: 40km/25mile

Seat height: 450mm

Ground Clearance: 260mm

Load capacity: 300kgs/660lbs

Max speed: 50km/h; 31mile/h

Wheelspace: 1760mm

Shock suspension: Airbag shock absorption

Wheel size: 10inch on Aluminum wheelrim

Package: Iron cage with carton outside

Net weight: 260kgs/572lbs

Gross weight: 285kgs/627lbs

Carton size: 2300x1400x840mm/pc

Container: 8pcs/20ft, 24pcs/40'HQ



EG1002PRO FOR ADULT

Product size: 1450 x 1010 x 1200mm

Motor power: 1000W Brushless Motor

Battery: 48V 20AH Lead Acid

Rate power: 1000W±10%

Charging power input: 110-240V/50-60HZ

Charging time: 8-12 hours

Max speed: 31 km/h

Range: 40km on Lead acid, 80km on lithium

Brake: 2 rear disc brakes

Transmission: shaft drive transmission

Wheel size: Front: 16*8-7, Rear: 16*8-7

Max climbing capacity: 35 degrees

Max load capacity: 160kgs/352lbs

Wheelbase: 1200mm

Package: Iron cage with carton outside

Net weight: 100kgs/220Lbs

Gross weight: 125kgs/275Lbs

Carton size: 146x94x55cm/1pc

Container: 32pcs/20', 64pcs/40'HQ

CITYCOCO ELECTRIC SCOOTER



EEC



ES8004VI FOR ADULT

Product size: 1756x750x700mm

Motor power: 1000W/1500W hub brushless motor

Battery capacity: 12Ah, 60V Lithium battery

Load Capacity: >180kgs/396lbs

One battery Charging time: 6-8 hours

Max speed: 35km/h for 1000W 55km/h for 1500W

With two battery space, under footboard and seat

Brake: Front and Rear Disc Brake

Tire size: 18*9.50-8 tubeless tire

Wheelbase: 1256mm

Seat height: 700mm

Climbing Capacity: >18 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton + Iron Packing

Net weight: 76kgs

Gross weight: 79kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 108pcs/40'HQ



ES8004VII FOR ADULT

Product size: 1756x750x700mm

Motor power: 1000W/1500W hub brushless motor

Battery capacity: 12Ah, 60V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 6-8 hours

Max speed: 35km/h for 1000W 55km/h for 1500W

Two battery space under footboard and seat

Brake: Front and Rear Disc Brake

Tire size: 18*9.50-8 tubeless tire

Wheelbase: 1256mm

Seat height: 700mm

Climbing Capacity: >18 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton + Iron Packing

Net weight: 76kgs

Gross weight: 79kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 108pcs/40'HQ



ES8004VII EEC COC APPROVED

Product size: 1756x750x700mm

Motor power: 1500W hub brushless motor

Battery capacity: 20Ah, 60V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 6-8 hours

Max speed: 55km/h for 1500W

Range per charge: 60km for 60V 20Ah

Brake: Front and Rear Disc Brake

Tire size: 18*9.50-8 tubeless tire

Wheelbase: 1256mm

Seat height: 700mm

Climbing Capacity: >18 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton + Iron Packing

Net weight: 76kgs

Gross weight: 79kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ

CITYCOCO ELECTRIC SCOOTER



EEC



ES8004VIII EEC COC APPROVED

Product size: 1756x750x700mm

Motor power: 1500W hub brushless motor

Battery capacity: 20Ah, 60V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 6-8 hours

Max speed: 55km/h for 1500W

Range per charge: 60km for 60V 20Ah

Brake: Front and Rear Disc Brake

Tire size: 18*9.50-8 tubeless tire

Wheelbase: 1256mm

Seat height: 700mm

Climbing Capacity: >18 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton + Iron Packing

Net weight: 60kgs

Gross weight: 63kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ



ES8007 COBRA EEC APPROVED

Handle bar width: 78CM

Height: 109CM

Length: 203CM

Motor power: 2000W hub brushless motor

Battery capacity: 20Ah, 60V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 6-8 hours

Max speed: 61km/h for 2000W

Range per charge: 55km for 60V 20Ah

Brake: Front and Rear Disc Brake

Front wheel: 13inch

Rear Tire size: 215/40-12 tubeless tire

Seight height: 58CM

Climbing Capacity: >18 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 72kgs

Gross weight: 75kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ



ES8009 WIDE EEC COC APPROVED

Width: 1100mm

Height: 1090mm

Length: 2210mm

Motor power: 2X2 2000W rear HUB motor,

4000W Brushless motor

Battery capacity: 20Ah, 60V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 6-8 hours

Max speed: \geq 61km/h

Range per charge: 45km on 60V 20Ah

Brake: Front and Rear Disc Brake

Front wheel: 13inch

Rear Tire size: 215/40-12 tubeless tire Wide rear motor

Seat height: 580mm

Climbing Capacity: >35 degree

Color available: Blue, Red, Brown, Green, Black etc

Package: Carton Packing

Net weight: 106kgs/233lbs

Gross weight: 110kgs/242lbs

Out carton size: 186x56x83cm/1pc

Container: 24pcs/20', 72pcs/40'HQ

ELECTRIC SCOOTER



ES8005 FOR ADULT

Product size: 1300x550x1100mm
Front fork adjustable height range: 100-110cm
Seat height: 70-85cm
Ground clearance: 105mm
Motor power: 800W hub brushless motor
Battery capacity: 12Ah, 48V Lithium battery
Load Capacity: >120kgs/396lbs
Charging time: 4-6 hours
Max speed: 25km/h
Range per charge: Approx 25-30km
Brake: Front and Rear Disc Brake
Tire size: 10*6.0-5.5 tubeless tire
Wheelbase: 980mm
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc
Package: Carton Packing
Net weight: 41kg/90.2lbs
Gross weight: 44kgs/96.8lbs
Out carton size: 129x33x59cm/1pc
Container: 92pcs/20', 226cs/40'HQ



ES5019 FOR ADULT

Product size: 1300x590x1000mm
Size on folding: 1300x590x590mm
Ground clearance: 150mm
Motor power: 500W hub brushless motor
Battery capacity: 12Ah, 48V lithium battery
Load Capacity: >120kgs/396lbs
Charging time: 1-2 hours
Max speed: 35-45km/h(based on request)
Range per charge: Approx 40km
48V 12Ah: Around 30KM per charge
Brake: Front and Rear Disc Brake
Tire size: 10*6.0-5.5 tubeless tire
Wheelbase: 1080mm
Seat height: 630mm
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc
Package: Carton Packing
Net weight: 41kg/90.2lbs
Gross weight: 44kgs/96.8lbs
Out carton size: 130*32*61cm/1pc
Container: 90pcs/20', 245pcs/40'HQ



ES1501 FOR ADULT

Product size: 1450x700x1075mm
Seat height: 700mm
Motor power: 1500W hub brushless motor
Battery capacity: 12Ah 60V lithium battery
Input Voltage: AC100-240V
Load Capacity: 150kgs
Charging time: 4-6 hours
Max speed: 45km/h
Range on 12Ah battery: 45KM.
Brake: Front & Rear Disc Brake
Wheel size: 10inch
Wheelbase: 1030mm
Climbing Capacity: 25 degree
Color available: black
Package: Carton Packing
Net weight: 33kgs
Gross weight: 36kgs
Out carton size: 145x29x75CM/1pc
Container: 80pcs/20', 200pcs/40'HQ

CITYCOCO ELECTRIC SCOOTER



EEC



EMO1 5000W EEC COC APPROVED

Handle bar width: 78CM

Height: 109CM

Length: 203CM

Motor power: 5000W hub brushless motor

Battery capacity: 30Ah, 72V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 6-8 hours

Max speed: 82km/h on 5000W

Range per charge: 72V 30AH: 65KM

72V 50AH: 110KM

Brake: Brake with motorcycle standard CBS brake

Front wheel: 13inch

Rear Tire size: 215/40-12 tubeless tire

Seight height: 58CM

Climbing Capacity: >35 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 110kgs

Gross weight: 114kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ



EM02 3000W EEC COC APPROVED

Handle bar width: 78CM

Height: 109CM

Length: 203CM

Motor power: 3000W hub brushless motor

Battery capacity: 20Ah, 60V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 6-8 hours

Max speed: 62km/h on 3000W

Range per charge: 120km if you choose
max 60V 50Ah battery

Brake: Front and Rear Disc Brake

Front wheel: 13inch

Rear Tire size: 215/40-12 tubeless tire

Seight height: 58CM

Climbing Capacity: >35 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 84kgs

Gross weight: 88kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ



ES8008 4000W EEC COC APPROVED

Product size: 2150x380x1160mm

Motor power: 3950W hub brushless motor

Battery capacity: 40Ah, 60V Lithium battery

Load Capacity: >300kgs

Charging time: 6-8 hours

With 4A charger

Max speed: 75KM/H

Range per charge: 80km

Brake: Front and Rear Disc Brake

Tire size: 215/40-12 tubeless tire

Aluminum Wheelrim

Wheelbase: 1540mm

Seat height: 700mm

Climbing Capacity: >25 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 84kgs

Gross weight: 88kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ

ELECTRIC MINI BIKE FOR KIDS



ES3508 FOR KIDS

Product size: 920X600X700mm
Motor power: 350W brushed motor
Battery capacity: 8AH, 24V lead-acid battery
Input Voltage: AC100-240V
Load Capacity: >50kgs
Charging time: 4-6 hours
Max speed: 15km/h
Range per charge: 20km
Brake: Rear Disc Brake
Tire size: 110/50-6.5
Seat height: 438mm
Ground clearance: 108mm
Color available: Various Colors
Package: Carton Packing
Net weight: 23kgs
Gross weight: 25kgs
Out carton size: 980*250*550mm/1pc
Container: 200pcs/20', 430pcs/40'HQ



ES3508 BRUSHLESS FOR KIDS

Age: Above 8 years
Product size: 920X600X70mm
Motor power: 350W brushless hub motor
Battery capacity: 8AH, 24V lead-acid battery
Input Voltage: AC100-240V
Load Capacity: >50kgs
Charging time: 4-6 hours
Max speed: 15km/h
Range per charge: 20km
Brake: Rear Disc Brake
Tire size: 110/50-6.5
Seat height: 438mm
Ground clearance: 108mm
Color available: Various Colors
Package: Carton Packing
Net weight: 23kgs/50.6Lbs
Gross weight: 25kgs/55Lbs
Out carton size: 980x250x550mm/1pc
Container: 200pcs/20', 430pcs/40'HQ



ES3509 FOR KIDS

Age: Above 8 years
Product size: 920X600X680mm
Motor power: 350W brushless motor
Battery capacity: 3.6AH, 36V lithium battery
Input Voltage: AC100-240V
Load Capacity: >80kgs/176Lbs
Charging time: 4-6 hours
Max speed: 20km/h
Range per charge: 20km
Brake: Rear Drum Brake
Tire size: Front 90/65-6.5; Rear 13x5.0-6
Seat height: 445mm
Ground clearance: 120mm
Color available: Various Colors
Package: Carton Packing
Net weight: 17kgs/37Lbs
Gross weight: 21kgs/46Lbs
Out carton size: 92x28x58cm/1pc
Container: 200pcs/20', 410pcs/40'HQ

ELECTRIC OFF ROAD GO KART



EA350 I - SNOW FOR KIDS

Product size: 1325 x 780 x 650mm
 Front sledge size: 430 x 105mm
 Rear snow track size: 470 x 220 x 118mm
 Seat height: 480mm
 Motor: 500W differential motor with shaft drive
 Battery: 48V 20Ah Lead acid battery
 Brake: Rear disc brake
 Charging time: 8 hours
 Range: 25km in winter
 Seat height: 450mm
 Ground Clearance: 260mm
 Load capacity: 70kgs
 Max speed: 15km/h; 9.3mile
 Shock suspension: Front dual & rear single
 Climb capacity: ≥ 15 degrees

Package: Iron cage with carton outside
 Net weight: 53kgs/117lbs
 Gross weight: 62kgs/136lbs
 Carton size: 123.5 x 63.5 x 53.5cm/1pc
 Container: 52pcs/20ft, 140pcs/40HQ



ET050 I - SNOW FOR TEENAGER

Outer Dimensions: 1500 x 845 x 1115mm
 Motor: 500W differential motor with shaft drive
 Battery: 48V 20Ah Lead acid battery
 Charging time: 6 hours
 Speed Control: 3 Levels
 Range: 35-40km per charge
 Shock Suspensions: Four Independent shock suspensions
 Power transmission: Gearbox Shaft Driving
 Brakes: rear dual hydraulic disc brake
 Rear Track Width: 110mm
 Loading Capacity: 100kgs/220Lbs
 Max speed: 15-20km/h; 9-14mile/h
 Wheelbase: 950mm
 Seat clearance: 430-510mm
 Ground clearance: 205mm

Package: Iron cage with carton outside
 Net weight: 75kgs/165lbs
 Gross weight: 84kgs/185lbs
 Carton size: 153x86x66cm/1pc
 Container: 21pcs/20', 60pcs/40'HQ



EG050 I FOR TEENAGER

Outer Dimensions: 1510x880x1200mm
 Motor: 500W differential motor with shaft drive
 Battery: 48V 20Ah Lead acid battery
 Charging time: 6 hours
 Speed Control: 3 Levels
 Range: 35-40KM
 Shock Suspensions: Four Independent shock suspensions
 Power transmission: Gearbox Shaft Driving
 Brakes: rear dual hydraulic disc brake
 Wheel size: front: 14x4.10-6(6inch),
 rear: 14*5.0-6
 Max loading: 100kgs/220Lbs
 Max speed: 45km/h; 28mile/h
 Wheel space: 950mm
 Seat clearance: 430-510mm
 Ground clearance: 220mm

Package: Iron cage with carton outside
 Net weight: 75kgs/165lbs
 Gross weight: 84kgs/185lbs
 Carton size: 153x86x66cm/1pc
 Container: 21pcs/20', 60pcs/40'HQ

ELECTRIC OFF ROAD GO KART



EEC



EG1002 ONE SEAT FOR ADULT

Product size: 1500 x 880 x 1000mm
 Motor power: 1000W Brushless Motor
 Battery: 48V 20AH Lead Acid
 Rate power: 1000W±10% shaft drive transmission
 Charging power input: 110-240V/50-60HZ
 Charging time: 8-12 hours
 Max speed: 40±2 km/h
 Range: 50km
 Brake: 2 rear disc brakes
 Wheel size: 6 inch off road tyre
 Max climbing capacity: 35 degrees
 Max load capacity: 160kgs/352lbs
 Wheelbase: 1200mm
 Ground clearance: 200mm
 Ingress protection: IP54
 Package: Iron cage with carton outside
 Net weight: 100kgs/220Lbs
 Gross weight: 125kgs/275Lbs
 Carton size: 148x85x59cm/1pc
 Container: 33pcs/20', 88pcs/40'HQ



EG1501 FOR ADULT AND KIDS

Product size: 1700x1205x 1250mm
 Motor power: 1200W Brushless Motor
 Battery: 60V 20AH Lead Acid
 Rate power: 1200W±10%
 DC Motor Running Speed: 5600rpm
 Charging power input: 110-240V/50-60HZ
 Charging time: 8-12 hours
 Max speed: 45±2 km/h
 Range: ≥40km per charge
 Brake: Front: disc brake, Rear: disc brake
 Transmission: shaft drive transmission
 Wheel size: Front: 145/70-6, Rear: 16*8-7
 Max load capacity: 160kgs/352Lbs
 Wheelbase: 1280mm
 Ground clearance: 188mm
 Color available: red, blue, black
 Package: Iron cage with carton outside
 Net weight: 140kgs
 Gross weight: 155kgs
 Carton size: 162x97x50cm/1pc
 Container: 28pcs/20', 70pcs/40'HQ



EG3003 FOR KIDS

Electric Motor: 1000 Watts
 Battery: 48V 20Ah Lead-Acid
 Product Size: 1500 x 880 x 1000mm
 Suspension: Front and rear hydraulic shock absorption
 Ground clearance: 185mm
 Max Speed: 33KM/H
 Max Load: 80KGS
 Range per charge: 40km
 Brake Type: Dual rear caliper disc brakes
 Frame material: Mild steel
 Brake Distance(25km/h): ≤ 6m
 Transmission: Rear chain driven
 Wheel: Front/Rear: 6 inch off road tyre
 Climbing capacity: ≥ 12 degrees
 Color available: Black, Red, Blue, Orange etc.
 Package: Carton Packing with steel frame
 Net weight: 96kgs
 Gross weight: 112.5kgs
 Carton size: 1480x850x590mm/1pc
 Container: 33pcs/20ft, 88pcs/40'HQ

ELECTRIC ATV FOR ADULT



EEC



EA350 1 1500W FOR ADULT

Product size: 1300x880x845mm
Wheelbase: 1300mm
Motor power: 1500W Differential motors
Battery: 60V 20AH
Rated power: 1500W±10%
Charging power input: AC80-240V
Charging time: 8-10 hours
Life of storage battery: about 300 cycles
Speed: 40km/h
Brake: Front drum brake, Rear disc brake
Transmission: Shaft drive
Wheel size: Front & Rear 16*7-8
Load capacity: ≥ 120kgs/264lbs
Climb capacity: ≥ 15 degrees
Front /Rear wheel: Iron wheel rim
Color available: gray, red, blue, black, yellow
Package: Iron cage with carton outside
Net weight: 95kgs
Gross weight: 107kgs
Carton size: 1.32*0.82*0.72m/1pc
Container: 34pcs/20ft, 80pcs/40HQ



EA120 1 1500W FOR ADULT

Product size: 1450*960*940mm
Motor: 60V 1500W
Transmission: Shaft drive
Battery: 60V 20AH lead acid battery
Brake: front & rear disc brake
Charging time: 8 hours
Range: 50km
Seat height: 680mm
Ground Clearance: 235mm
Load capacity: 300kgs/660Lbs
Max speed: 45km/h
Wheelspace: 960mm
Shock suspension: Hydraulic shock absorption
Wheel size: 8inch iron wheelrim
Package: Iron cage with carton outside
Net weight: 115kgs/253lbs
Gross weight: 133kgs/292.6lbs
Carton size: 130x76x61cm/1pc
Container: 36pcs/20', 108pcs/40'HQ



EA0806 72V FOR BIG ADULT

Motor power: 2000W brushless Differential motor
Battery: 72V 20AH (12V/20AH*6)
Brake: Front and rear Disc brake
Transmission: Shaft drive
Wheel size: 12inch aluminum wheelrim
Front and rear shock suspension
With side cover include turning light
With LED front four above light
with Rear mirror
With Horn
With Reverse
Max speed: 50KM/H
Range: 60KM
Color available: Black, Red, Blue, Orange etc.
Package: Iron cage with carton outside
Net weight: 190kgs/418lbs
Gross weight: 220kgs/484lbs
Carton size: 172x90x80cm/1pc
Container: 12pcs/20', 39pcs/40'HQ

ELECTRIC ATV



EA560 I 4X4 FOR ADULT

Product size: 1750 X 1400 X 1403mm
Motor power: 60V 4pcs 2000W Hub-Motor
Battery: 60V45AH Lead acid battery
Rate power: 8000W±10%
Charging power input: 80-240V/50-60Hz 7A
Charging time: 4-6 hours
Max speed: 55Km/h
Range: ≥60km
Climbing capacity: 15~35°(2 wheelers) 15~55°(4 wheelers)
Brake: front & rear hydraulic disc brake
Transmission: 4 Independent Hub Motor Driving
Wheel size: Front: 21X7-10, Rear: 21X7-10 Tubless Tire
Loading capacity: 300kgs/660Lbs
Wheelbase: 1180mm
Chassis ground clearance: 220mm
Seat height(adjustable): 850-1000mm
Package: Iron cage with carton outside
Net weight: 175kgs/385lbs
Gross weight: 210kgs/462lbs
Carton size: 176x102x86cm/1pc
Container: 18pcs/20', 44pcs/40'HQ



EG1003 ELECTRIC GO KART ADULT

EG1003 500W
Product size: 127X87X55CM
500W Differential motors shaft drive
48V 12AH lead acid battery
Max speed: 31km/h
Brake: Rear disc hand brake
Load capacity: 120KGS
Wheels: front and rear: 145/70-6 With T handle bar

EG1003 1000W
Product size: 127X87X55CM
1000W Differential motors shaft drive
48V 20AH lead acid battery
Max speed: 40km/h
Brake: Rear disc hand brake
Load capacity: 150KGS
Wheels: front and rear: 145/70-6 With T handle bar



EA350 I FOR KIDS

Product size: 1125x680x730mm
Motor power: 500W/1000W Differential motors shaft drive
Brush or brushless motor all can do
Battery: 48V 12AH/20AH, 36V 12AH/20AH
Charging power input: AC80-240V
Charging time: 3-4 hours
Life of storage battery: about 300 cycles
Speed: 18-38KM/H
Brake: Front & Rear disc brake
Transmission: gearbox shaft drive or chain drive
Wheel size: 4.10-6 or big 6inch tyre
Load capacity: ≥ 70kgs/154lbs
Climb capacity: ≥ 15 degrees
Front /Rear wheel: Iron wheel rim
Color available: gray, red, blue, black, yellow
Package: Iron cage with carton outside
Net weight: 56kgs
Gross weight: 68kgs
Carton size: 110x70x63.5cm/1pc
Container: 48pcs/20ft, 132pcs/40HQ

DIRT BIKE



ED5004 FOR KIDS

Product size: 1220x620x750mm

Motor power: 500W

Battery capacity: 12Ah 36V lead-acid

Load capacity: 80kgs/176lbs

Charging time: 3-6 hours

Range: 2-2.5 hours or 28-32km/17-19miles

Ground clearance: 200mm

Seat height: 540mm

Recharge times: > 200times

Max speed: 25km/h 15.5/mile/h

Input voltage of charger: 110V 220V

Brake: front: disc, rear: disc

Wheelbase: 860mm

Power transmission: chain

Tire: 2.50-10

Package: Carton Packing

Net weight: 34kgs/74.8lbs

Gross weight: 38kgs/83.6lbs

Out carton size: 116x32x55cm/1pc

Container: 148pcs/20', 290pcs/40', 290pcs/40'HQ



ED3001 FOR ADULT

Product Size: 1750x720x1000mm

Motor Power: 60V/3000W brushless

Max Load capacity: 200KGS

Shock absorption: Anterograde shock absorber

Brake System: Front/Rear: Hydraulic brake

Wheel Size : Front : 70/100-19 ; Rear : 90/100-16

Max Speed: 58KM/H

Related voltage: 60V

Rate Power: 3000W±10%

Battery : 60V 12Ah lithium battery

Standard voltage : ≥60V

Charging Power: AC80-240V/50-60HZ

Charger Current : ≥2.5A

Transmission : Shaft drive

Seat height : 750mm

Package: Iron cage with carton outside

Net weight: 70kgs

Gross weight: 74kgs

Packing Size(cm): 186*36*83CM

Container: 42pcs/20', 105pcs/40'HQ



DB1101 GAS DIRT BIKE FOR ADULT

Product size: 1700 x 710 x 1100mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Front & Rear hydraulic disc brake

Seat height: 700mm

Front Wheel size: 90/100-14

Rear Wheel size: 70/100-17

Package: Iron cage with carton outside

Net weight: 78kgs/172lbs

Gross weight: 89kgs/196lbs

Carton size: 153 x 43 x 72mm/pc

Container: 55pcs/20ft, 133pcs/40HQ

GAS DIRT BIKE



DB0494 49CC FOR KIDS

Product dimensions: 1080x550x780mm

Engine: 49cc, single cylinder, 2-stroke, air cooled

Top speed: 45km/h, 28miles/h

Start: pull start

Transmission: chain drive

Brake: front and rear disc brake

Tank capacity: 2.4L

Suspension: front and rear suspension

Front/rear wheel size: 2.5-10

Maximum load capacity: 80kgs/176lbs

Color available: red, black, blue, silver, yellow and green

Package: Carton Packing

Net weight: 21kgs/46lbs

Gross weight: 23kgs/50lbs

Carton size: 104*32*52cm/1pc

Container: 144pcs/20', 395pcs/40'HQ



DB0495 49CC FOR KIDS

Product dimensions: 1080x550x780mm

Engine: 49cc, single cylinder, 2-stroke, air cooled

Top speed: 45km/h, 28miles/h

Start: pull start

Transmission: chain drive

Brake: front and rear disc brake

Tank capacity: 2.4L

Suspension: front and rear suspension

Front/rear wheel size: 2.5-10

Maximum load capacity: 80kgs/176lbs

Color available: red, black, blue, silver, yellow and green

Seat height: 62cm

Each color's Minimum order is 5pcs.

Package: Carton Packing

Net weight: 34kgs/74.8lbs

Gross weight: 38kgs/83.6lbs

Out carton size: 112*32*53cm/1pc

Container: 144pcs/20', 385pcs/40'HQ



DB1501 FOR ADULT

Engine: 150CC 4stroke air cooled, Front 4 gears

Engine Brand: shineray

Gasoline Consumption: 20KM/L

Starting System: electric start(12V5AH)

Fuel tank capacity: 5L

Max Speed(km/h): 60km/h

Brake System: F/R: Hydraulic disc/Hydraulic disc

Ignition Mode: CDI

Front tire: 70/100-17

Rear tire: 90/100-14

Transmission: Chain

Seat High: 84CM

Load capacity: 110KGS

Product Size(cm): 168*73*112

Color Available: Red, yellow, blue, green, black

Package: Carton Packing

Net weight: 78kgs/123lbs

Gross weight: 89kgs/143lbs

Packing Size(cm): 152*38*75

Container: 64pcs/20', 133pcs/40', 156pcs/40'HQ



JW1101 GAS MINI JEEP

Wheel number: 4
 Product size: 2070 x 1050 x 960mm
 Piston Displacement: 125cc
 Engine type: Air Cooling, Single Cylinder
 Battery: 12V 5Ah
 Oil Tank: 4L
 Range: 50KM
 Transmission: Chain Driving
 Brake: Front & Rear hydraulic disc brake
 Seat height: 570mm
 Front Wheel size: 18/7-8 off road iron
 Rear Wheel size: 18/7-8 off road iron
 With Shock Suspensions (Front and rear)
 With Leather seat
 Only Amy green color like photo show
 Package: Iron cage with carton outside
 Net weight: 140kgs/308bs
 Gross weight: 160kgs/352lbs
 Carton size: 195 x 115 x 64cm/pc
 Container: 18pcs/20ft, 48pcs/40HQ



EJW1101 ELECTRIC MINI JEEP

Product size: 2070 x 1050 x 960mm
 Motor Power: 1200W Brush less Shaft drive
 Engine type: Brushless Motor
 Battery: 60V 32AH acid lead battery
 Transmission: Gearbox Shaft Driving
 Brake: Front & Rear hydraulic disc brake
 Seat height: 570mm
 Front Wheel size: 18/7-8 off road iron
 Rear Wheel size: 18/7-8 off road iron
 Max.Loading capacity:160kgs
 Max speed: 35-40km/h
 Distance range: 35km-40km
 Min.ground clearance: 100mm
 With Shock Suspensions (Front and rear)
 With Leather seat
 Only Amy green color like photo show
 Package: Iron cage with carton outside
 Net weight: 180kgs/396bs
 Gross weight: 200kgs/440lbs
 Carton size: 195 x 115 x 64mm/pc
 Container: 18pcs/20ft, 48pcs/40HQ



EUT1501 ELECTRIC UTV

Overall dimensions: 2350 x 1200 x 1530mm
 Motor Power: 1500W Hub Brushless Motor
 Battery: 72V 52Ah Tian Neng Brand Lead-Acid
 Wheel driving Type: 2x4
 Final Drive: Shaft drive
 Transmission: Shaft drive F-N-R
 Forward Lights: Headlights-High & Low Beam
 Suspension Front: Double A-arm optional
 Suspension Rear: Dual Hydraulic Shock Swing arm
 Brake: Front & Rear Disc Brake
 Seat height: 550mm
 Wheel size: Front: 21X7-10; Rear: 20.5X10-10
 Max speed: 45km/h
 Max range: 55km
 Ground clearance: 150mm
 Loading capacity: 300kgs
 Package: Steel frame with carton outside
 Net Weight: 220kgs
 Gross Weight: 250kgs
 Carton Size: 240x127x102cm
 Container: 8pcs/20ft; 18pcs/40ft; 26pcs/40HQ

RACING GO KART



GC090 I FOR KIDS

Outer dimensions: 138x108x39cm
 Engine type: 90cc, 152F, 4 stroke, 2.4HP with dry clutch system
 Engine Brand: LongXin
 Max speed: 45KM/H
 Starting system: manual start-up
 Max load capacity: 150KGS
 Frame: Steel Tube
 Power transmission: chain drive
 Brakes: Hydraulic brake
 Brake distance: 1.5M
 Wheel size: front: 10X3.6-5 ; rear: 10X4.5-5
 Gas tank: 2.0L
 Color: black
 Package: Iron cage with carton outside
 Net weight: 57.80kg
 Gross weight: 80.7kg
 Carton size: 140X110X39CM (Without bumper)
 166*131*50cm (With bumper)
 Container: 38pcs/20ft container, 106pcs/40ft container



GC2002 ONE SEAT ADULT

Engine: 168F, 200CC, 4STROKE, 6.5HP WITH WET CLUTCH SYSTEM
 Engine brand: LiFan
 Product Size: 1700X1100X450MM
 Max Speed: 52-70KM/H
 Max Load: 200KGS
 Frame: Steel Tube
 Brake Type: Hydraulic Brake
 Brake Distance: 1.5m
 Transmission: Chain-Driven
 Start-Up: Manual Start-Up
 Average travel distance: 52-70KM
 Wheel: Front: 10X4.5-5; rear: 11X7.1-5
 Wheelbase: 116cm
 Oil box: 3.5L
 Package: Carton Packing with steel frame
 Net weight: 120KGS
 Gross weight: 139KGS
 Carton size: 170x110x52cm/1pc
 Container: 24pcs/20', 56pcs/40'HQ



GC2005 TWO SEAT ADULT

Product dimensions: 2020x1550x650mm
 Type: single cylinder, air-cooling, 4-stroke
 Engine: 168F, 200CC, 6.5HP with wet clutch
 Start mode: pull
 Transmission mode: chain drive
 Max speed: 50-70km/h
 Fuel tank capacity: 3.5L
 Max load: 200kgs
 Frame: Steel Tube
 Brake Distance: 1.5m
 Wheel: Front: 10X4.5-5; rear: 11X7.1-5
 Break type (Rear): Hydraulic disc brake
 wheelbase: mm
 Ground clearance: 50mm
 Color: Black
 Package: Carton Packing with steel frame
 Carton size: 2020*1550*650mm
 Gross Weight: 135KG
 Net Weight: 150KG
 Container: 9pcs/20ft, 21pcs/40ft, 21pcs/40HQ

GAS ATV FOR KIDS



AT0491 FOR KIDS

Product dimensions: 980x620x670mm
Piston displacement: 49cc
Fuel tank volume: 1.5 liters
Fuel type: unleaded petrol/oil mix (ratio 25:1)
Start method: pull starter
Clutch: automatic
Horse power: 1.6kw/7000rpm
Engine type: single cylinder, 2-stroke, air-cooled
Load capacity: 65kgs/143lbs
Max speed: $\leq 25 \pm 5$ km/h
Brake: disc brake
Transmission: chain drive
Wheel size: front: 13x4.10-6, rear: 13x5.00-6
Wheel base: 72cm
Climb capacity: ≥ 30 degrees
Color available: red, blue, black, yellow
Package: Honeycomb carton
Net weight: 31kgs/68.34lbs
Gross weight: 40kgs/88.18lbs
Carton size: 102*58*52cm/pc
Container: 88pcs/20', 230pcs/40'HQ



AT0492 FOR KIDS

Product size: 1150x600x660mm
Piston displacement: 49cc 2stroke air cooled
Max speed: 35KM/H
Start: Pull start, Electric start optional
Transmission: Chain drive
Brake: Front disc brake, Rear disc brake
Front and rear Wheel size: 4.10-6 / 13x5.00-6 with steel hub
Package: Iron cage with carton outside
Net weight: 39kgs
Gross weight: 43kgs
Carton size: 104x58x52cm/pc
Container: 84pcs/20ft, 220pcs/40HQ



AT0495 FOR KIDS

Product dimensions: 99x62x69cm
Piston displacement: 49cc
Fuel tank volume: 1.2 liters
Fuel type: unleaded petrol/oil mix (ratio 25:1)
Start method: pull starter
Clutch: automatic
Horse power: 1.6kw/7000rpm
Engine type: single cylinder, 2-stroke, air-cooled
Load capacity: 65kgs/143lbs
Max speed: $\leq 25 \pm 5$ km/h
Brake: Front and rear disc brake
Transmission: chain drive
Wheel size: 13x4.1-6; 13x5.00-6 with steel hub
Seat height: 430mm
Climb capacity: ≥ 10 degrees
Color available: red, blue, black, yellow, green
Package: Iron cage with carton outside
Net weight: 29kgs/63.80lbs
Gross weight: 33kgs/72.60lbs
Carton size: 98x58x52cm/pc
Container: 88pcs/20', 230pcs/40'HQ

GAS ATV QUAD BIKE



EEC



AT0499 FOR KIDS

Product dimensions: 980x620x670mm

Piston displacement: 49cc

Fuel tank volume: 1.5 liters

Fuel type: unleaded petrol/oil mix (ratio 25:1)

Start method: pull starter

Clutch: automatic

Horse power: 1.6kw/7000rpm

Engine type: single cylinder, 2-stroke, air-cooled

Load capacity: 65kgs/143lbs

Max speed: $\leq 25 \pm 5$ km/h

Brake: disc brake

Transmission: chain drive

Wheel size: front: 13x4.10-6, rear: 13x5.00-6

Wheel base: 72cm

Climb capacity: ≥ 30 degrees

Color available: red, blue, black, yellow

Package: Honeycomb carton

Net weight: 31kgs/68.34lbs

Gross weight: 40kgs/88.18lbs

Carton size: 102 x 58 x 52cm/pc

Container: 88pcs/20', 228pcs/40'HQ



AT1105 FOR ADULT

Product size: 1720 x 950 x 950mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Max Speed: 45km/h 28miles/h

Brake: Front drum brake, Rear disc brake

Seat height: 730mm

Front Wheel size: 16X8-7(7inch) on steel

Rear Wheel size: 16X8-7(7inch) on steel

Available color: Red, green, blue, yellow, black

Package: Iron cage with carton outside

Net weight: 91kgs/200lbs

Gross weight: 107kgs/235lbs

Carton size: 131x 76 x 60mm/pc

Container: 36pcs/20ft, 108pcs/40HQ



AT1106 LED LIGHT FOR ADULT

Product size: 1400 x 860 x 910mm

Piston displacement: 110cc

Max Speed: 45km/h 28miles/h

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Front drum brake, Rear disc brake

Seat height: 750mm

Front Wheel size: 19X7-8(8inch) on steel

Rear Wheel size: 18X9.5-8(8inch) on steel

Package: Iron cage with carton outside

Net weight: 109kgs/240lbs

Gross weight: 125kgs/275lbs

Carton size: 131 x 76 x 60mm/pc

Container: 39pcs/20ft, 108pcs/40HQ

GAS ATV QUAD BIKE



AT1108 FOR ADULT

Product size: 1550 x 950 x 950mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Max Speed: 45km/h 28miles/h

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Front drum brake, Rear disc brake

Seat height: 640mm

Front Wheel size: 16X8-7(7inch) on steel

Rear Wheel size: 16X8-7(7inch) on steel

Available color: White, Black

Package: Iron cage with carton outside

Net weight: 85kgs/187lbs

Gross weight: 97kgs/213lbs

Carton size: 126 x 76 x 60mm/pc

Container: 39pcs/20ft, 120pcs/40HQ



AT1109 FOR ADULT

Product size: 1800 x 1110 x 1120mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Front drum brake, Rear hydraulic disc brake

Seat height: 850mm

Front Wheel size: 19X7-8(8inch) on steel

Rear Wheel size: 18X9.5-8(8inch) on steel

Package: Iron cage with carton outside

Net weight: 106kgs

Gross weight: 123kgs

Carton size: 138x76x60cm/pc

Container: 36pcs/20ft, 100pcs/40HQ



AT1110 SNOW FOR ADULT

Product size: 1550 x 950 x 950mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Max Speed: 45km/h 28miles/h

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Rear disc brake

Seat height: 730mm

Front Wheel size: 16X8-7/Sledge and track

Rear Wheel size: 16X8-7/Sledge and track

Package: Iron cage with carton outside

Net weight: 85kgs/187lbs

Gross weight: 98kgs/216lbs

Carton size: 126 x 76 x 60mm/pc

Container: 39pcs/20ft, 108pcs/40HQ

GAS ATV QUAD BIKE



AT1111 FOR ADULT

Product size: 1480 x 1130 x 145mm
 Wheelbase: 915mm
 Piston displacement: 125cc 1+1
 Engine type: Air cooling, 4 stroke
 Ignition: CDI
 Start: Key Electric starter
 Battery: 12V 9Ah
 Muffler: Single steel muffler
 Tank: Metal tank
 Transmission: Auto clutch, Chain drive
 Brake: Front Drum brake, Rear disc brake
 Front Wheel size: 19x7-8 on steel hub
 Rear Wheel size: 18x9.5-8 on steel hub
 (Photo is with Aluminum hub need add USD40)
 Seat Height: 700mm
 Ground Clearance: 270mm
 Package: Iron cage with carton outside
 Net weight: 105kgs
 Gross weight: 120kgs
 Carton size: 131x76x65cm/pc
 Container: 39pcs/20ft, 108pcs/40HQ



AT1112 FOR ADULT

Product size: 1450 x 940 x 1000mm
 Wheelbase: 970mm
 Piston displacement: 110cc 1+1
 Engine type: Air cooling, 4 stroke
 Ignition: CDI
 Start: Key Electric starter
 Battery: 12V 9Ah
 Transmission: Auto clutch, Chain drive
 Brake: Front Drum brake, Rear disc brake
 Front Wheel size: 19x7-8
 Rear Wheel size: 18x9.5-8
 Seat Height: 750mm
 Ground Clearance: 145mm
 Package: Iron cage with carton outside
 Net weight: 105kgs
 Gross weight: 120kgs
 Carton size: 135x86x60cm/pc
 Container: 39pcs/20ft, 108pcs/40HQ



AT3004 4X4 FOR BIG ADULT

Piston displacement: 350cc BASHAN engine
 Engine type: Water Cooling CVT
 Ignition: CDI Gear: F-N-R Front have two different speed
 2 wheel and 4 wheel drive optional
 Max Speed: 90km/h; 56mile/h
 Brake: Front disc brake, Rear disc brake
 Starting system: Electric start Battery spec: 12V,9AH
 Product size: 1940x1090 x 915cm
 Wheelbase: 770mm
 Seat height: 780mm
 Front Wheel size: Front: AT25*8-12
 Front wheel clearance: 910mm
 Rear Wheel size: AT25*10-12
 Rear Wheel clearance: 770mm
 Fuel tank capacity: 15L
 Range: 200km on 2 wheeler,
 100km on 4 wheeler
 Minimum Ground clearance: 180mm
 Net weight: 230kgs/506lbs
 Gross weight: 250kgs/550lbs
 Carton size: 2320x1280x1050mm/pc
 Container: 8pcs/20ft, 18pcs/40HQ

GAS ATV QUAD BIKE



AT1107 FOR ADULT

Product size: 1460 x 880 x 970mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Front drum brake, Rear disc brake

Seat height: 750mm

Front Wheel size: 16X8-7(7inch) on steel

Rear Wheel size: 16X8-7(7inch) on steel

Package: Iron cage with carton outside

Net weight: 109kgs/240lbs

Gross weight: 125kgs/275lbs

Carton size: 131 x 76 x 60mm/pc

Container: 39pcs/20ft, 108pcs/40HQ



AT1504 FOR ADULT

Piston displacement: 150cc 1+1

Engine type: GY6, 4 strokes

Max torque: 10Nm/5500rpm

Max power: 9.3kw/7500rpm

Starting system: CDI electric start

Transmission: automatic

Brake: Front drum brake, Rear disc brake

Battery spec: 12V, 9AH

Front suspension details: double A x swing arm

Rear suspension details: mono shock swing arm

Wheel size: Front: 19x7-8 Rear: 18x9.5-8

Product size: 155x88x95cm

Wheel base: 1000mm

Seat height from ground: 75cm

Ground clearance: 100mm

Load capacity: 140kg

Fuel tank capacity: 4.5L

Package: Iron cage with carton outside

Net weight: 140kg/308lbs

Gross weight: 177kg/389lbs

Carton size: 149x84x75cm

Container: 33pcs/20ft; 66pcs/40ft



AT1513 FOR ADULT

Product size: 1480 x 840 x 800mm

Piston displacement: GY6 150cc, 1+1

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 9Ah

Transmission: Auto clutch, Chain drive

Brake: Front disc brake, Rear disc brake

Front Wheel size: 21*7-10 on Aluminum

Rear Wheel size: 22*10-10 on Aluminum

Shock absorption: Alu oil pressure Shock

Package: Iron cage with carton outside

Net weight: 135kgs

Gross weight: 158kgs

Carton size: 148x84x82cm/pc

Container: 22pcs/20ft, 66pcs/40HQ

GAS ATV FOR BIG ADULT



AT1515 FOR ADULT

Product size: 1780 x 1120 x 1110mm
Wheelbase: 1180mm
Piston displacement: 150cc
CVT with gear (F-N-R)
Engine type: Air cooling, 4 stroke
Ignition: CDI
Start: Electric starter
Battery: 12V 9Ah
Transmission: Auto clutch, Chain drive
Max Speed: 55km/h 34miles/h
Brake: Front disc brake, Rear disc brake
Seat height: 790mm
Ground Clearance: 235mm
Front Wheel size: 23X7-10(10inch) on steel
Rear Wheel size: 22X10-10(10inch) on steel
Package: Iron cage with carton outside
Net weight: 165kgs
Gross weight: 190kgs
Carton size: 165x104x80cm/pc
Container: 14pcs/20ft, 48pcs/40HQ



AT1801 FOR ADULT

Piston displacement: 150cc CVT with gear (F-N-R)
Transmission: Chain drive
Max Speed: 55km/h 31mile/h
Brake: Front disc brake, Rear disc brake
Starting system: Electric & Kick start
Battery spec: 12V,9AH
Product size: 1880*1080*1280mm
Wheelbase: 1285mm
Seat height: 800mm
Front Wheel size: Front: AT23x7-10
Rear Wheel size: AT22x10-10
Minimum Ground clearance: 285mm
Package: Iron cage with carton outside
Net weight: 165kgs
Gross weight: 190kgs
Carton size: 165x104x80cm/1pc
Container: 14pcs/20ft, 48pcs/40HQ



AT2500 FOR ADULT

Product size: 1800 x 1110 x 1120mm
Piston Displacement: 250cc
Engine type: Air Cooling, Single Cylinder
Battery: 12V 9Ah
Max speed: 60KM/H
Transmission: Shaft Driving
Brake: Front & Rear hydraulic disc brake
Max Speed: 60km/h
Front Wheel size: 12in Aluminum
Rear Wheel size: 12in Aluminum
Package: Iron cage with carton outside
Net weight: 135kgs/273bs
Gross weight: 158kgs/328lbs
Carton size: 148 x 84 x 82cm/pc
Container: 22pcs/20ft, 66pcs/40HQ

BIG ADULT GO KART AND ATV



AT3004 FOR ADULT

Piston displacement: 300cc
 Engine type: Water Cooling CVT
 Ignition: CDI
 Max torque: 22Nm/5000r/min
 Max power: 13.5Kw/7000r/pm
 Max Speed: 65km/h 40mi/h
 Brake: Front disc brake, Rear disc brake
 Starting system: Electric start
 Battery spec: 12V,9AH
 Product size: 1970*1150*1200MM
 Wheelbase: 770mm Seat height: 780mm
 Front Wheel size: Front: AT25*8-12
 Front wheel clearance: 910mm
 Rear Wheel size: AT25*10-12
 Fuel tank capacity: 8.5L
 Minimum Ground clearance: 180mm
 Package: Iron cage with carton outside
 Net weight: 230kgs/506lbs
 Gross weight: 250kgs/550lbs
 Carton size: 1970*1140*830mm/pc
 Container: 12pcs/20ft, 36pcs/40HQ



UT2001 FOR ADULT

Overall dimensions: 2350 x 1200 x 1530mm
 Engine type: 4-stroke, Single-Cylinder, Air cooled
 Displacement: 150cc/200cc/300cc
 Max power output: 8 kW/8000 r/min-7.6 kW/7000 r/min
 Max torque: 10.1 N•m/6000 r/min-10.2 N•m/5000 r/min
 Fuel tank capacity: 9.0L
 Wheel driving Type: 2x4
 Final Drive: Chain drive
 Transmission: Auto clutch chain drive
 Gear: Manuel, F-N-R
 Starting system: Electric start
 Battery: 12V, 9A
 Brake: Front & Rear Disc Brake
 Seat height: 550mm
 Wheel size: Front: 21X7-10; Rear: 20.5X10-10
 Max speed: 65km/h
 Package: Steel frame with carton outside
 Net Weight: 253kgs
 Gross Weight: 275kgs
 Carton Size: 232x120x84cm
 Container: 8pcs/20ft; 18pcs/40ft; 26pcs/40HQ



GC2021 FOR ADULT

Overall dimensions: 2450x1650x1490mm
 Piston displacement: 200cc
 Fuel tank: 9.0 liters
 Fuel type: 93#
 Engine type: single cylinder, Air-cooling
 Starting system: Electric start
 Starting battery: 10V, 9Ah
 Power transmission: chain drive
 Max power: 11kw/7.000rpm
 Torque: 17.6/5,500 (N.m/r/min)
 Brakes: Front/Rear disc brakes
 Wheel size: front: 23*7-10, rear: 22*10-10
 Minimum ground clearance: 265mm
 Loading capacity: 200kgs/440lbs
 Max speed: 65km/h
 Climbing ability: >20 degrees
 Wheelbase: 1680mm
 Package: Iron cage with carton outside
 Net weight: 238kgs/524lbs
 Gross weight: 263kgs/579lbs
 Carton size: 2290x1300x830mm/1pc
 Container: 8pcs/20', 27pcs/40'HQ

ADULT GASOLINE GO KART



EEC



GC2022 FOR BIG ADULT

Product size: 2300x1550x1470mm
Wheelbase: 1650mm
Engine: 200cc Single Cylinder Oil Cooling
Transmission: Auto clutch, Chain drive
Max speed: 55km/h 35mile/h
Climbing ability: >20 degrees
Start Battery: 10V, 9Ah
Engine Start: Electric and pull starting
Brake: Front & rear hydraulic disc brakes
Fuel Type: NO. 93 Petrol
Fuel Tank Volume: 12 Liter
Minimum Ground Clearance: 270mm
Load capacity: More than 200kgs/440lbs
Wheel size: Front 23x7-10; Rear 22x10-10
Package: Iron cage with carton outside
Net weight: 262kgs/576lbs
Gross weight: 292kgs/642lbs
Carton size: 230 x 143 x 73cm/pc
Container: 12pcs/20ft, 24pcs/40HQ



GC1251 FOR ADULT AND TEENS

Outer dimensions: 1900x1250x1200mm
Piston displacement: 125cc, 150cc optional
Fuel tank: 4.5 liters
Fuel type: 93# petrol
Engine type: 125cc 4 stroke, air-cooling, 1+1
Starting system: electric start(12V 5AH)
Shock suspension: Front and rear dual shock suspension
Power transmission: chain drive
Ignition method: CDI
Brakes: Rear hydraulic disc brake
Wheel size: Front: 145x70-6(6inch), Rear: 16x8-7
Max loading: 200kgs/440lbs
Max speed: 60km/h; 37.30mile/h
Wheelbase: 1480mm
Ground clearance: 192mm
Fuel consumption: 3L/100km
Package: Iron cage with carton outside
Net weight: 93kgs/205lbs
Gross weight: 118kgs/260lbs
Carton size: 192x118x67cm/1pc
Container: 18pcs/20', 52pcs/40'HQ



GC1252 FOR ADULT AND TEENS

Outer Dimensions: 1510x880x1200mm
Piston displacement: 125cc
Fuel tank: 4 liters
Fuel consumption: 3L/100km
Fuel type: 93# petrol
Engine type: 125cc 4 stroke, air-cooling,
Starting system: electric start
Shock suspension: Front and rear dual shock suspension
Brakes: rear Hydraulic brake
Wheel size: front: 14x4.10-6(6inch), rear: 14*5.0-6
Max loading: 100kgs;220lbs
Max speed: 60km/h;37.00mile/h
Seat clearance: 430-510mm
Ground clearance: 220mm
Color: Red, Blue, Black, Orange Etc
Package: Iron cage with carton outside
Net weight: 75kgs/165lbs
Gross weight: 84kgs/185lbs
Carton size: 153x86x66cm/1pc
Dissemble wheels: 140x83x70cm
Container: 33pcs/20', 66pcs/40'HQ

CROSS GO KART/SEA SCOOTER



GC630 I CROSS GO KART ADULT

Product size: 1270 x 870 x 550mm
Wheel base: 950mm
Ground Clearance: 80mm
Piston displacement: 63cc
Fuel tank volume: 1.60 liters
Fuel type: unleaded petrol/oil mix (ratio 25:1)
Motor: 2-stroke, 1-cylinder, air-cooled
Starter system: pull starting
Ignition method: CDI
Max speed: 35km/h
Range: 15km/40minute
Brake: Rear hydraulic disc brake
Load capacity: 150kgs/330lbs
Wheels Size: front & rear: 10 3.5-4
Climbing capacity: ≥ 25 degree
Color available: black, red, blue, green etc.
Package: Carton Packing
Net weight: 45kgs
Gross weight: 53kgs
Carton size: 108x59x40cm/1pc
Container: 95pcs/20', 246pcs/40'HQ



SS300 I SEA SCOOTER

Power: 300 Watts DC Electric Motor
Battery: 6Ah, 24volt lead-acid
Battery net weight: 3.7kg
Battery size: 15x10x9.8cm
Run time: 40-60 minutes on one time charge
Depth rating: 10 meters
Outer dimensions: 600 x 360 x 310 mm
Net Weight: 7.5kg /16.5 lbs(battery included).
Gross Weight: 9.5kg /20.9lbs
Packing size: 64x39x35cm/1pc
Container: 350pcs/20ft; 720pcs/40ft, 800pcs/40ft HQ


Max speed for SS3001: 3KM/H under water.
Max depth for SS3001 underwater: 10M
With 24V 6Ah lead acid battery:
can use 40mins under water.



SS500 I SEA SCOOTER

Power: 500 Watts DC Electric Motor
Max speed: 5KM/H
Battery: 6Ah, 24volt lead-acid
Battery net weight: 3.7kg
Battery size: 15x10x9.8cm
Run time: 30-50 minutes on one time charge
Depth rating: 20 meters
Outer dimensions: 600 x 360 x 310 mm
Net Weight: 8.2kg /16.4 lbs(battery included).
Gross Weight: 9.5kg /20.9lbs
Packing size: 64x39x35cm/1pc
Container: 350pcs/20ft; 720pcs/40ft, 800pcs/40ft HQ

Max speed for SS5001: 5KM/H under water.
Max speed for SS5001 with brushless motor:
8KM/H under water.
Max depth for SS5001 underwater: 20M
With 24V 12Ah LiFePO4 lithium battery:
can use 80mins under water.



(Business Registered Number:37134098)

Tel:(86 579) 8729 7180 E-mail: sales@mademoto.com

Add: Yongkang, Zhejiang, China 321300

Mobile:(0086) 150 5796 3103 Skype ID: mademoto / QQ: 12341124 / Whatsapp: 0086 150 5796 3103 / WeChat: 150 5796 3103

[Http://www.mademoto.com](http://www.mademoto.com)