



Company Profile

Wiztem Industry Company Limited (Business Registered Number: 37134098) was established in 2004. We specialize in various types of Leisure & Sport Vehicle developing and manufacturing. Our main products are ATVs, Go Karts, UTVs and other Sports & Fun Vehicles.

With modern pipelines and in accordance with ISO 9002 international standards, we have strong ability to produce top-quality products. Advanced equipment, machinery and skillful workers guarantee our quality. Our products are now being private labeled to many famous companies around the world.



We are looking forward to establishing a long-term relationship with all companies worldwide. Our motto is to strengthen and expand market for both your company and ours. Contact us now; we will sincerely do our best to provide the best we can.



Thank you in advance for your interest and business.

For more information on our products, please feel free to visit our company site

<http://www.Mademoto.com>

Model Number	Basic Price Vehicle's Key Specification	Basic Prices
Notice: All the Optional parts are not include for the Basic Price, the picture is just for your reference		
<p style="text-align: center;">AT0410</p> 	<p>Special Features:</p> <ul style="list-style-type: none"> * 2 Stroke 49cc Engine * Cyberquad Kids ATV * Original Factory Prices * Small Trial Order Accepted * Overall LED Light Belt Decoration <p>Big Discount 49cc Petrol Cyberquad Kids ATV on Direct Factory Wholesale Price</p> <p>Key Specifications:</p> <p>Wheel number: 4 Product dimensions: 1125x680x730mm Piston displacement: 49cc Fuel tank volume: 1.5 Liters Fuel type: unleaded petrol/oil mix (ratio 25:1) Start method: pull starter Clutch: automatic Horse power: 1.6kw/7000rpm Engine type: single cylinder, 2-stroke, air-cooled Load capacity: 65kgs/143lbs Max speed: ≤25±5km/h Brake: Front & rear disc brakes Transmission: chain drive Wheel size: front: 13x4.10-6, rear: 13x5.00-6 Wheelbase: 750mm Climb capacity: ≥30degrees Color available: red, blue, black, yellow</p> <p>Package: Honeycomb carton Net weight: 31kgs/68.34lbs Gross weight: 40kgs/88.18lbs Carton size: 110*70*53.5cm/1pc Container: 51pcs/20ft, 154pcs/40HQ</p>	<p style="text-align: center;"><u><i>Latest price?</i></u></p> <p style="text-align: center;"><u><i>Please inquire us!</i></u></p>
Model Number	Basic Price Vehicle's Key Specification	Basic Prices
Notice: All the Optional parts are not include for the Basic Price, the picture is just for your reference		
<p style="text-align: center;">AT0492-NEW-Kids</p> 	<p>Special Features:</p> <ul style="list-style-type: none"> * Competitive Prices * Stable Quality * OEM Order <p>Stable Quality 49cc ATV Quad for kids on Mass Order Production</p> <p>Key Specification:</p> <p>Wheel number: 4 Product size: 1150x600x660mm Piston displacement: 49cc 2stoke air cooled with gearbox Max speed: 35KM/H Start: Plastic easy pull start Transmission: Chain drive Brake: Front disc brake, Rear disc brake Front and rear Wheel size: 4.10-6 / 13x5.00-6</p>	<p style="text-align: center;"><u><i>Latest price?</i></u></p> <p style="text-align: center;"><u><i>Please inquire us!</i></u></p>
Optional parts / Extra price		

	with steel hub	
Basic Price Include Parts:	Package: Iron cage with carton outside	
	Net weight: 39kgs	
	Gross weight: 43kgs	
	Carton size: 104x58x52cm/pc	
	Container: 84pcs/20ft, 220pcs/40HQ	
<p style="text-align: center;">AT0498</p>  	<p>Product Features</p> <ul style="list-style-type: none"> * 49cc 2 Stroke Air Cooling Engine * Economical Cost * Kids Quad Bikes Model * OEM order available on mass order <p>Hot Selling Original Product Big Discount 49cc ATV for Kids on Factory Direct Selling</p> <p>Key Specifications:</p> <p>Wheel number: 4 Product dimensions: 980x620x670mm Piston displacement: 49cc Fuel tank volume: 1.5 liters Fuel type: unleaded petrol/oil mix (ratio 25:1) Start method: pull starter Clutch: automatic Horse power: 1.6kw/7000rpm Engine type: single cylinder, 2-stroke, air-cooled Load capacity: 65kgs/143lbs Max speed: ≤25±5km/h Brake: disc brake Transmission: chain drive Wheel size: front and rear: 10x3.5-4 Wheel base: 72cm Climb capacity: ≥30degrees Color available: red, blue, black, yellow</p> <p>Package: Iron cage with carton outside</p> <p>Net weight: 31kgs/68.34lbs Gross weight: 40kgs/88.18lbs Carton size: 102*58*52cm/pc Container: 88pcs/20' , 230pcs/40' HQ</p>	<p><u><i>Latest price?</i></u></p> <p><u><i>Please inquire us!</i></u></p>
Optional parts / Extra Cost		

<p style="text-align: center;">AT0499-Kids</p>  	<p>Wheel number: 4 Product dimensions: 980x620x670mm Piston displacement: 49cc Fuel tank volume: 1.5 liters Fuel type: unleaded petrol/oil mix (ratio 25:1) Start method: pull starter Clutch: automatic Horse power: 1.6kw/7000rpm Engine type: single cylinder, 2-stroke, air-cooled Load capacity: 65kgs/143lbs Max speed: ≤25±5km/h Brake: disc brake Transmission: chain drive</p>	<p><u><i>Latest price?</i></u></p> <p><u><i>Please inquire us!</i></u></p>
---	---	--

Optional parts / Extra price	Wheel size: front: 13x4.10-6, rear: 13x5.00-6 Wheel base: 72cm Climb capacity: ≥30degrees Color available: red, blue, black, yellow Package: Honeycomb carton Net weight: 31kgs/68.34lbs Gross weight: 40kgs/88.18lbs Carton size: 102*58*52cm/pc Container: 88pcs/20', 228pcs/40'HQ
Basic Price Include Parts:	Product Video:
	More photos in website:

Model Number	Basic Price Vehicle's Key Specification	Basic Prices
Notice: All the Optional parts are not include for the Basic Price, the picture is just for your reference		
AT1105-NEW-teenagers	<p>Special Features:</p> <ul style="list-style-type: none"> * Competitive Prices * Stable Quality * Electric Starter * Available on 110cc/125cc * OEM Order <p>Factory Best Selling 110cc 125cc ATV Quad on Stable Quality</p> <p>Key Specification: Wheel number: 4 Product size: 1720 x 950 x 950mm Piston displacement: 110cc Engine type: Air cooling, 4 stroke Ignition: CDI Start: Key Electric starter Battery: 12V 5Ah Transmission: Auto clutch, Chain drive Max Speed: 45km/h 28miles/h Brake: Front drum brake, Rear disc brake Seat height: 730mm Front Wheel size: 16X8-7(7inch) on steel Rear Wheel size: 16X8-7(7inch) on steel Available color: Red, green, blue, yellow, black</p>	
Optional parts / Extra price		
Basic Price Include Parts:		
Front and rear plastic cover: Include		
LED Lamp: Include		



AT1109-NEW-teenagers



Special Features:

- * Competitive Prices
- * Stable Quality
- * Electric Starter
- * 110cc 125cc Air Cooling Engine
- * OEM Order

Optional parts / Extra price

Stable Quality 110cc/125cc ATV Quad on Mass Order Production

Key Specification:

Wheel number: 4
Product size: 1800 x 1110 x 1120mm
Piston displacement: 110cc
Engine type: Air cooling, 4 stroke
Ignition: CDI
Start: Key Electric starter
Battery: 12V 5Ah
Transmission: Auto clutch, Chain drive
Brake: Front drum brake, Rear hydraulic disc brake
Seat height: 850mm
Front Wheel size: 19X7-8(8inch) on steel
Rear Wheel size: 18X9.5-8(8inch) on steel

Package: Iron cage with carton outside

Net weight: 106kgs
Gross weight: 123kgs
Carton size: 138x76x60cm/pc
Container: 36pcs/20ft, 100pcs/40HQ

Product Video:

More photos in website:

Basic Price Include Parts:

Model Number

Basic Price Vehicle's Key Specification

Basic Prices

Notice: All the Optional parts are not include for the Basic Price, the picture is just for your reference

AT1110-NEW-SNOW



Optional parts / Extra price

Special Features:

- * Competitive Prices
- * Stable Quality
- * Electric Starter
- * Available on 110cc/125cc
- * OEM Order

Hot Selling 110cc 125cc ATV Quad Snow Sledge on Gas Powered

Key Specification:

Wheel number: 4
Product size: 1550 x 950 x 950mm
Piston displacement: 110cc
Engine type: Air cooling, 4 stroke
Max Speed: 45km/h 28miles/h
Ignition: CDI
Start: Key Electric starter
Battery: 12V 5Ah
Transmission: Auto clutch, Chain drive
Brake: Rear disc brake
Seat height: 730mm
Front Wheel size: 16X8-7/Sledge and track
Rear Wheel size: 16X8-7/Sledge and track

Package: Iron cage with carton outside

Net weight: 85kgs/187lbs
Gross weight: 98kgs/216lbs
Carton size: 126 x 76 x 60mm/pc
Container: 39pcs/20ft, 108pcs/40HQ

Product Video:

More photos in website:

[Latest price?](#)

[Please inquire us!](#)

AT1112

NEW



Optional parts / Extra price

Special Features:

- * Available on 110cc &125cc
- * Outer Gearshift
- * Front double swing arm
- * Factory NEW model
- * OEM Order

Best Wholesale Price Factory New 110cc 125cc ATV Quad on OEM Order



Key Specification:

Wheel number: 4
Product size: 1450 x 940 x 1000mm
Wheelbase: 970mm
Piston displacement: 110cc 1+1
Engine type: Air cooling, 4 stroke
Ignition: CDI
Start: Key Electric starter
Battery: 12V 9Ah
Transmission: Auto clutch, Chain drive
Brake: Front Drum brake, Rear disc brake
Front Wheel size: 19x7-8
Rear Wheel size: 18x9.5-8
Seat Height: 750mm

[Latest price?](#)

[Please inquire us!](#)

	Ground Clearance: 145mm	
	Package: Iron cage with carton outside	
	Net weight: 105kgs	
	Gross weight: 120kgs	
	Carton size: 135x86x60cm/pc	
	Container: 39pcs/20ft, 108pcs/40HQ	
Basic Price Include Parts:	Product Video: https://youtu.be/ZC3vbZT1cl4	
	Factory website: https://mademoto.com/petrol-atv	
<p>AT1111 Pro NEW</p>  	<p>Special Features:</p> <ul style="list-style-type: none"> * 125cc Engine * Outer Gearshift * Front double swing arm * Factory NEW model * OEM Order <p>Best Wholesale Price Factory New 125cc ATV Quad on OEM Order</p> <p>Key Specification:</p> <p>Wheel number: 4 Product size: 1480 x 1130 x 145mm Wheelbase: 915mm Piston displacement: 125cc 1+1 Engine type: Air cooling, 4 stroke Ignition: CDI Start: Key Electric starter Battery: 12V 9Ah Muffler: Single steel muffler Tank: Plastic tank Transmission: Auto clutch, Chain drive Brake: Front disc brake, Rear disc brake Front Wheel size: 19x7-8 on steel hub Rear Wheel size: 18x9.5-8 on steel hub <u>(Photo is with Aluminum hub need add USD40)</u> Seat Height: 700mm Ground Clearance: 270mm</p> <p>Package: Iron cage with carton outside</p> <p>Net weight: 105kgs Gross weight: 120kgs Carton size: 139x76x60cm/pc Container: 39pcs/20ft, 108pcs/40HQ</p>	
Optional parts / Extra price		<u><i>Latest price?</i></u>
Basic Price Include Parts:	Product Video: https://youtu.be/63v22Gfh6SM	
	More photos in website: https://mademoto.com/new-atv	

Model Number	Basic Price Vehicle's Key Specification	Basic Prices
Notice: All the Optional parts are not include for the Basic Price, the picture is just for your reference		
<p>AT0501-teenagers</p>  	<p>Wheel number: 4 Product size: 1180x735x755mm Compression ratio: 9.0:1 Piston displacement: 50cc/70cc/90cc/110cc Engine: single-cylinder, 4-stroke, air-cooling Battery: 12V 4AH Fuel tank volume: 3.2L Oil consumption: 3.2L/100km Starting system: CDI electric start Drive system: chain drive Brake: Front: drum brake; Rear: disc brake Max speed: 40km/h Load capacity: 75kgs Max torque: 4.2Nm/5000rpm, 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm Max power: 3.0Kw/8500rpm/, 3.0kw/7500rpm, 3.3kw/7500rpm, 3.6kw/7500rpm Wheel: front and rear 145/70-6 steel hub Seat height from ground: 60cm Gearshift method: automatically Clutch method: automatic clutch Break method: manual brake Front suspension details: double A x swing arm Rear suspension details: mono shock swing arm Package: Iron cage with carton outside Net weight: 64kgs/140.8lbs Gross weight: 74kgs/162.8lbs Carton size: 116x64x59cm/1pc Container: 54pcs/20', 144pcs/40'HQ</p>	<p><i><u>Latest price?</u></i></p> <p><i><u>Please inquire us!</u></i></p>
Optional parts / Extra price		
Product Video:		
More details on our Website: http://www.atv-utv.com/50cc-quad-bike.htm		

AT0522-teenagers



Wheel number: 4
 Product size: 1460x940x900mm
 Compression ratio: 9.0:1
 Piston displacement: 50cc/70cc/90cc/110cc
 Engine: single-cylinder, 4-stroke, air-cooling
 Battery: 12V 4AH
 Fuel tank volume: 3.2L
 Oil consumption: 3.2L/100km
 Starting system: CDI electric start
 Wheel base: 880mm
 Seat height from ground: 60cm
 Ground clearance: 100mm
 Drive system: chain drive
 Brake: Front: drum brake; Rear: disc brake
 Max speed: 40km/h
 Load capacity: 75kgs
 Max torque:
 4.2Nm/5000rpm, 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm
 Max power:
 3.0Kw/8500rpm, 3.0kw/7500rpm, 3.3kw/7500rpm, 3.6kw/7500rpm
 Wheel: front and rear 16*8-7 steel hub
 Wheel spider: iron
 Gearshift method: automatically
 Clutch method: automatic clutch
 Break method: manual brake
 Front suspension details: double A x swing arm
 Rear suspension details: mono shock swing arm
Package: Iron cage with carton outside
 Net weight: 78kgs/171.6lbs
 Gross weight: 94kgs/206.8lbs
 Carton size: 132x76x61cm/1pc
 Container: 39pcs/20', 108pcs/40'HQ

Latest price?

Please inquire us!

Optional parts / Extra price

Product Video:

More details on our Website: <http://www.atv-utv.com/Cheap-atv.htm>

AT0523-teenagers



Optional parts / Extra price

Wheel number: 4
Piston displacement: 50cc/70cc/90cc/110cc
Starting system: CDI electric start
Engine: single-cylinder, 4-stroke, air-cooling
Battery: 12V 4AH
Brake: Front: drum brake; Rear: disc brake
Drive system: chain drive
Clutch method: automatic clutch
Max torque:
4.2Nm/5000rpm, 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm
Max power:
3.0Kw/8500rpm, 3.0kw/7500rpm, 3.3kw/7500rpm, 3.6kw/7500rpm
Wheel: front and rear 16x8-7 Steel hub
Front suspension details: double A x swing arm
Rear suspension details: mono shock swing arm
Vehicle size: 152x86x91cm
Wheel base: 880mm
Seat height from ground: 60cm
Ground clearance: 100mm
Load capacity: 75kg
Fuel tank capacity: 3.2L
Package: Iron cage with carton outside
Net weight: 84kgs/184.8lbs
Gross weight: 99kgs/217.8lbs
Carton size: 126x76x61cm/1PC
Container: 39pcs/20', 108pcs/40'HQ

Latest price?

Please inquire us!



If you want to buy the quad bike same as above showed, you need to choose these Optional Parts:

- 1) 7" Aluminum Alloy Tire
- 2) 125cc 3+1
- 3) Front bump cover
- 4) Rear Carrier
- 5) Front Disc Brake
- 6) Horn
- 7) Numeral meter
- 8) Remote control
- 9) Vehicle frame to be Red, standard price is with black frame.
- 10) Waterproof Join

Product Video:

More details on our Website: <http://www.atv-utv.com/50cc-ATV.htm>

AT0524-teenagers



Wheel number: 4
Product size: 1470x970x970mm
Compression ratio: 9.0:1
Piston displacement: 50cc/70cc/90cc/110cc
Engine: single-cylinder, 4-stroke, air-cooling
Battery: 12V 4AH
Fuel tank volume: 3.4L
Oil consumption: 3.4L/100km
Lubricating oil: SE15W/40 SF 10W/30
Starting system: CDI electric start
Electric sparking plug: A7RTC
Drive system: chain drive
Brake: Front: drum brake; Rear: disc brake
Max speed: 40km/h
Load capacity: 85kgs
Rated power: 2.0Kw/8000r/min
Rated torque: 2.6N.m/5000r/min
Wheel: front and rear 145/70-6 steel hub
Wheel spider: iron
Transmission mode: automatic
Clutch method: automatic clutch
Break method: manual brake
Shock absorption method: front and rear hydraulic shock absorber
Package: Iron cage with carton outside
Net weight: 69kgs/151.8lbs
Gross weight: 82kgs/180.4lbs
Carton size: 115x75x64cm/1pc
Container: 45pcs/20', 120pcs/40'HQ

Latest price?

Please inquire us!

Optional parts / Extra price

Product Video:

More details on our Website: <http://www.atv-utv.com/NEW-50CC-ATV.htm>

AT0525-teenagers



Wheel number: 4
Piston displacement: 50cc/70cc/90cc/110cc
Engine: single-cylinder, 4-stroke, air-cooling
Starting system: CDI electric start
Battery: 12V 4AH
Fuel tank volume: 5L
Drive system: chain drive
Brake: Front: drum brake; Rear: disc brake
Max speed: 40km/h
Load capacity: 150kgs
Rated power: 2.0Kw/8000r/min
Rated torque: 2.6N.m/5000r/min
Wheel: front and rear 16x8-7 steel hub
Max torque: 4.2Nm/5000rpm, 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm
Max power:
3.0Kw/8500rpm, 3.0kw/7500rpm, 3.3kw/7500rpm, 3.6kw/7500rpm

Latest price?



Please inquire us!

Optional parts / Extra price

	Color available: red, blue, black, yellow, green	
	Package: Iron cage with carton outside	
	Net weight: 105kgs/231lbs	
	Gross weight: 120kgs/264lbs	
	Carton size: 137X84X72cm/1pc	
	Container: 30pcs/20', 66pcs/40'HQ	

Product Video:

More details on our Website: <http://www.atv-utv.com/110cc-atv.htm>

<p>Racing ATV AT0528-teenagers</p>  	<p>Wheel number: 4 Piston displacement: 48CC/72CC/86CC/96CC /107CC/124CC Starting system: CDI electric start Transmission: 4-speed, semi-automatic reverse Brake: Front disc brake, Rear disc brake Fuel tank volume: 5L Starting system: Electric start Battery spec: 12V,9AH Front suspension details: double A x swing arm Rear suspension details: mono shock swing arm Wheel size: Front/Rear 235/30-12 Product size: 190x110x103cm Wheel base: 1300mm Max torque: 4.2Nm/5000rpm, 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm Max power: 3.0kw/8500rpm, 3.0kw/7500rpm, 3.3kw/7500rpm, 3.6kw/7500rpm Seat height from ground: 63cm Ground clearance: 80mm Load capacity: 150kg Package: Iron cage with carton outside Net weight: 140kgs/308lbs Gross weight: 160kgs/352lbs Carton size: 150x83x71cm/1pc Container: 18pcs/20' 42pcs/40' 42pcs/40'HQ</p>	<p><u><i>Latest price?</i></u></p> <p><u><i>Please inquire us!</i></u></p>
Optional parts / Extra price		
Basic Price Include Parts:		

Product Video:

More details on our Website: <http://www.atv-utv.com/Cheap-110cc-atv.htm>

AT0601-Kids



Wheel number: 4
Product dimensions: 1065x630x740mm
Piston displacement: 60cc,SOHV 4 stroke
Fuel tank volume: 1L
Compression ratio: 10:1
Start method: Electric starter
Clutch: automatic
Engine type: single cylinder, 4-stroke, air-cooled
Max. Power: 1.8kw/7000r/min
Max.torque:2.4N.M
Load capacity: 65kgs/143lbs
Max speed: 35km/h
Brake: Front and rear disc brake
Transmission: chain drive
Engile oil cap: 0.5L
Engile oil: SF-15W-40
Oil pump: Inner-outer rotor type
Lubrication: Pressure/Splash
Ignition mode: CDI
Wheel size: 13x5-6 with steel hub
Ground clearance: 80mm
Wheel base: 715mm
Climb capacity: ≥10 degrees
Color available: red, blue, black, yellow, green
Package: Iron cage with carton outside
Net weight: 45kgs/99lbs
Gross weight: 53kgs/116.6lbs
Carton size: 100x58x52cm/pc
Container: 88pcs/20', 228pcs/40'HQ

Latest price?

Please inquire us!

More details on our Website: <http://www.atv-utv.com/60CC-ATV.htm>

Product Video: <http://youtu.be/gNWTPZttlq8>

More details on our Website: <http://www.atv-utv.com/125cc-ATV.htm>

AT1116-teenagers





Wheel number: 4
Piston displacement: 80cc
Starting System: electric start(12V4AH)
Engine tyep: GY6, single cylinder, 4-stroke
Cooling type: air-cooled
Fuel tank volume: 2.4L
Fuel type: pure oil
Ignition method: CDI
Max speed: 45km/h
Brake: Fron drum brake; Rear hydraulic disc
Transmission: chain drive
Wheel size: 145x70-6

Latest price?



Please inquire us!

Optional parts / Extra price	Product size: 125x76x82cm Seat height: 640mm Oil consumption: 25km/h Loading capacity: 110kgs Color available: red, blue, black, yellow, green Package: Iron cage with carton outside Net weight: 65kgs/143lbs Gross weight: 83kgs/182lbs Carton size: 116X64X59cm/1pc Container: 54pcs/20ft, 144pcs/40HQ
Product Video:	
More details on our Website: http://www.atv-utv.com/80cc-atv.htm	

<p>AT1504-Big Adult</p>  	Wheel number: 4 Piston displacement: 150cc Engine type: GY6, 4 strokes Max torque: 10Nm/5500rpm Max power: 9.3kw/7500rpm Starting system: CDI electric start Transmission: automatic Brake: Front drum brake, Rear disc brake Battery spec: 12V, 9AH Front suspension details: double A x swing arm Rear suspension details: mono shock swing arm Wheel size: Front: 19x7-8 Rear: 18x9.5-8 Product size: 155x88x95cm Wheel base: 1000mm Seat height from ground: 75cm Ground clearance: 100mm Load capacity: 140kg Fuel tank capacity: 4.5L Package: Iron cage with carton outside Net weight: 140kg/308lbs Gross weight: 177kg/389lbs Carton size: 149x84x75cm Container: 33pcs/20ft; 66pcs/40ft
Optional parts / Extra price	<p><u><i>Latest price?</i></u></p> <p><u><i>Please inquire us!</i></u></p>

Product Video: Product Video: <https://youtu.be/gaZ-GroytSQ> ; <http://youtu.be/Fgo4AWNtczs>
Shaft Drive is optional: <https://youtu.be/0tUzGxMjA0U>

More details on our Website: <http://www.atv-utv.com/atv-for-sale.htm>

Model Number	Basic Price Vehicle's Key Specification	Basic Prices
Notice: All the Optional parts are not include for the Basic Price, the picture is just for your reference		
<p>AT1513-NEW-Big Adult</p>  	<p>Special Features:</p> <ul style="list-style-type: none"> * Competitive Prices * Stable Quality * Electric Starter * Available on 150cc * OEM Order <p>Best Wholesale Price 110cc 125cc ATV Quad on OEM Order</p> <p>Key Specification: Wheel number: 4 Product size: 148x84x80cm Piston displacement: GY6 150cc,1+1 Engine type: Air cooling, 4 stroke Ignition: CDI Start: Key Electric starter Battery: 12V 9Ah Transmission: Auto clutch, Chain drive Brake: Front disc brake, Rear disc brake Front Wheel size: 21*7-10 on Aluminum Rear Wheel size: 22*10-10 on Aluminum Shock absorption: Alu oil pressure Shock</p> <p>Package: Iron cage with carton outside Net weight: 135kgs Gross weight: 158kgs Carton size: 148x84x82cm/pc Container: 22pcs/20ft, 66pcs/40HQ</p> <p>Product Video:</p> <p>More photos in website:</p>	<p><i><u>Latest price?</u></i></p> <p><i><u>Please inquire us!</u></i></p>
Optional parts / Extra price		
Basic Price Include Parts:		

Model Number	Basic Price Vehicle's Key Specification	Basic Prices
Notice: All the Optional parts are not include for the Basic Price, the picture is just for your reference		

AT1515-Big adult

NEW



Special Features:

- * **Factory New Model**
- * **150cc GY6 Engine**
- * **Electric Starting**
- * **Outer Gearshift**
- * **Double Swing Arm**
- * **OEM Order**

ATV Factory New 150cc Adult Quad Bike on Stable Quality

Key Specification:

Wheel number: 4
Product size: 1780 x 1120 x 1110mm
Wheelbase: 1180mm
Piston displacement: 150cc
CVT with gear (F-N-R)
Engine type: Air cooling, 4 stroke
Ignition: CDI
Start: Electric starter
Battery: 12V 9Ah
Transmission: Auto clutch, Chain drive
Max Speed: 55km/h 34miles/h
Brake: Front disc brake, Rear disc brake
Seat height: 790mm
Ground Clearance: 235mm
Front Wheel size: 23X7-10(10inch) on steel
Rear Wheel size: 22X10-10(10inch) on steel
Standard is with Steel wheel rim, Alloy Aluminum wheel rim need add USD40/PC
Available color: Red, green, blue, yellow, black

Optional parts / Extra price

Basic Price Include Parts:

Package: Iron cage with carton outside

Net weight: 165kgs
Gross weight: 190kgs
Carton size: 165x104x80cm/pc
Container: 14pcs/20ft, 48pcs/40HQ

Product Video:

<https://youtu.be/UNu5HsZi3DA>

Factory homepage link:

<https://mademoto.com/atv-adults>

Latest price?

Please inquire us!

AT2010

NEW



Special Features:

- * 200cc Engine
- * Electric Starting
- * Front & Rear Strong Cargo rack
- * Outer Gearshift
- * Rear Toll Ball Optional
- * OEM Order

China Factory New Adult ATV-quad on 200cc GY6 Gasoline Engine

Key Specification:

Wheel number: 4
Piston displacement: 200cc CVT with gear (F-N-R)
Transmission: Chain drive
Speed: 75km/h
Shock suspensions: front McPherson independent suspension, rear independent shock suspensions.
Brake: Front disc brake, Rear disc brake
Starting system: Electric & Pull start
Battery spec: 12V,9AH
Fuel Tank: 7.8L
Product size: 2080x1240x1350mm
Wheelbase: 1285mm
Seat height: 890mm
Loading Capacity: 240kg/528Lbs
Front Wheel size: Front: AT23x7-10
Rear Wheel size: AT22x10-10
Aluminum wheel rim
Minimum Ground clearance: 285mm

Package: Iron cage with carton outside

Net weight: 192kgs
Gross weight: 206kgs
Carton size: 161x108x78cm/1pc
Container: 18pcs/20ft, 42pcs/40HQ

Product Video:

More photos in website:

Optional parts / Extra price

Basic Price Include Parts:

Latest price?

Please inquire us!

AT2011

NEW



Optional parts / Extra Cost

Basic Price Include Parts:

Special Features:

- * 200cc Engine
- * Electric Starting
- * Front & Rear Strong Cargo rack
- * Outer Gearshift
- * Rear Toll Ball Optional
- * OEM Order

China Factory New Adult ATV-quad on 200cc GY6 Gasoline Engine

Key Specification:

Wheel number: 4
Piston displacement: 200cc CVT with gear (F-N-R)
Transmission: Chain drive
Speed: 75km/h
Shock suspensions: front McPherson independent suspension, rear independent shock suspensions.
Brake: Front disc brake, Rear disc brake
Starting system: Electric & Pull start
Battery spec: 12V,9AH
Fuel Tank: 7.8L
Product size: 2080x1240x1350mm
Wheelbase: 1285mm
Seat height: 890mm
Loading Capacity: 240kg/528Lbs
Front Wheel size: Front: AT23x7-10
Rear Wheel size: AT22x10-10
Aluminum wheel rim
Minimum Ground clearance: 285mm

Package: Iron cage with carton outside

Net weight: 220kgs/484Lbs
Gross weight: 240kgs/528Lbs
Carton size: 172x92x87cm/1pc
Container: 14pcs/20ft, 48pcs/40HQ

Product Video:

More photos in website:

Latest price?

Please inquire us!

AT2501



Special Features:

- * 250CC 3+1 Air Cooling Engine
- * 4 Big Front LED Spot Light
- * Front Double Swing Arm Shock
- * Rear Spare Wheel
- * OEM Order

Factory Best Price Gas Powered 250cc ATV Quad Bike on OEM Order


Key Specification:

Wheel number: 4
Product size: 1850 x 1110 x 1180mm
Piston Displacement: 250cc
Engine type: Air Cooling, Single Cylinder

Latest price?

Please inquire us!

Basic Price Include Parts:	Product Video: More photos in website:

AT3005-Big Adult NEW 	Special Features: <ul style="list-style-type: none"> * 300CC Water Cooling CVT Engine * Front McPherson independent suspension * Front & Rear Strong Cargo rack * Digital display front panel * Rear tow bar included China Factory Best Price 300CC Adult ATV Quad Bike with Electric Starting Key Specification: Wheel number: 4 Piston displacement: 300cc Engine type: Water Cooling CVT Ignition: CDI Max torque: 22Nm/5000r/min Max power: 13.5Kw/7000r/pm Transmission: Manual gearshift Max Speed: 65km/h 40mi/h Shock suspensions: front McPherson independent suspension, rear independent shock suspensions. Brake: Front disc brake, Rear disc brake Starting system: Electric start Battery spec: 12V,9AH Product size: 1940x1090 x 915cm Wheelbase: 770mm Seat height: 780mm Front Wheel size: Front: AT25*8-12 Front wheel clearance: 910mm Rear Wheel size: AT25*10-12 Rear Wheel clearance: 770mm Fuel tank capacity: 8.5L Minimum Ground clearance: 180mm Package: Iron cage with carton outside Net weight: 230kgs/506lbs Gross weight: 250kgs/550lbs Carton size: 1970*1140*830mm/pc Container: 12pcs/20ft, 36pcs/40HQ	<p><u><i>Latest price?</i></u></p> <p><u><i>Please inquire us!</i></u></p>
Optional parts / Extra price		
Basic Price Include Parts:		

Model Number	Basic Price Vehicle's Key Specification	Basic Prices
--------------	---	--------------

Notice: All the Optional parts are not include for the Basic Price, the picture is just for your reference

AT3004-Big Adult NEW



Special Features:

- * 300CC Water Cooling CVT Engine
- * Front McPherson independent suspension
- * Front & Rear Strong Cargo rack
- * Digital display front panel
- * Rear tow bar included

China Factory Best Price 300CC Adult ATV Quad Bike with Electric Starting

Key Specification:

Wheel number: 4
Piston displacement: 300cc
Engine type: Water Cooling CVT
Ignition: CDI
Max torque: 22Nm/5000r/min
Max power: 13.5Kw/7000r/pm
Transmission: Manual gearshift
Max Speed: 65km/h 40mi/h
Shock suspensions: front McPherson independent suspension, rear independent shock suspensions.

Brake: Front disc brake, Rear disc brake
Starting system: Electric start
Battery spec: 12V,9AH
Product size: 1940x1090 x 915cm
Wheelbase: 770mm
Seat height: 780mm

Front Wheel size: Front: AT25*8-12
Front wheel clearance: 910mm
Rear Wheel size: AT25*10-12
Rear Wheel clearance: 770mm
Fuel tank capacity: 8.5L
Minimum Ground clearance: 180mm

Package: Iron cage with carton outside

Net weight: 230kgs/506lbs
Gross weight: 250kgs/550lbs
Carton size: 1970*1140*830mm/pc
Container: 12pcs/20ft, 36pcs/40HQ

Optional parts / Extra price

Basic Price Include Parts:

Latest price?

Please inquire us!

AT2500 4X4



Special Features:

- * 250cc,4x4 Zongshen Engine
- * Shaft Driving Power Transmission
- * 4X4 DRIVE
- * OEM Order

Factory Best Price Gas Powered 250cc 300cc 350cc 4X4 ATV Quad Bike on OEM Order

Key Specification:

Wheel number: 4
Displacement: 250cc,4x4 Zongshen engine,water cooled, Manual clutch
Starting System: Electric start
Cooling Water cooled
Gear system: 5 front gears and 5 rear gears
Final drive: Shaft drive
Suspension: Front and rear hydraulic shock
Tries(front/rear): 10 inch aluminum wheels, vacuum tire
Brakes: Front and rear dics brake
Product size: 1700x1150x1100mm
wheelbase: 1210mm
Ground Clearance: 410mm
Tank: 5L, metal tank
Max.speed: 80km/h
Max.loading: 240kgs

Package: Iron cage with carton outside

Net weight: 260kg/572Lbs
Gross weight: 300kg/660Lbs
Carton size: 170x115x110cm/1pc
Container: 12pcs/20ft, 26pcs/40HQ

Product Video:

More details on factory website:

Latest price?

Please inquire us!

Optional parts / Extra price

AT1801 4X4

NEW



Special Features:

- * 4 Wheeler
- * 6 Speed Gearshift
- * Available on 300cc & 350cc
- * Original Factory Prices
- * OEM Order

4 Wheeler 250cc Petrol ATV Quad Bike on Best Factory Wholesale Prices

Key Specification:



Wheel number: 4
Product size: 1850x1150x1100mm
Piston displacement: 250cc Zongshen Brand
Constant mesh, two stage transmission ,6-speed Gearshift
Single cylinder,4-stroke,4-valve,water-cooling,

Latest price?


Please inquire us!

Optional parts / Extra price

	<p>camshaft upward Transmission: shaft drive 4X4, 4 wheel drive Clutch: Manual Wet Multi-Plate Starter: CFW Electric starter Battery: 12V 9AH Wheelbase:1210mm Max speed: 80km/h Front Wheel size: Front: AT23x7-10 Rear Wheel size: AT22x10-10 Brake: Front disc brake, Rear disc brake Mini ground clearance: 180mm Seat height: 800mm Ground clearance: 41cm Handle height: 110cm Max load capacity: 200KGS</p> <p>Package: Iron cage with carton outside Net weight: 260kgs Gross weight: 300kgs Carton size: 1700x1150x1100mm/1pc Container: 12pcs/20ft, 26pcs/40HQ</p>	
--	---	--


<p>AT2502 4x4 NEW</p>  	<p>Special Features:</p> <ul style="list-style-type: none"> * 4 Wheeler * 250cc, 300cc, 350cc Optional * 6 Step Speed Power Transmission * Auto Cargo Discharge Optional * Factory NEW model * OEM Order <p>4X4 Offroad Cargo ATV UTV for Farmers on Best Factory Prices Key Specification: Wheel number: 4 Overall Dimensions: 2900x1250x1450mm Trolley Dimensions: 1500 x 1200 x (front 78mm)-(rear 450mm) Piston displacement: 250cc Zongshen Brand Constant mesh, two stage transmission ,6-speed Gearshift Single cylinder,4-stroke,4-valve,water-cooling, camshaft upward Transmission: shaft drive 4X4, 4 wheel drive Wheelbase: 1950mm Clutch: Manual Wet Multi-Plate Starter: CFW Electric starter Battery: 12V 9AH Max speed: 50km/h; 31mile/h Max.Power(kw/r/min): 11.5/7000 Max.Torque (N.m/r/min): 19.5/5000 Bore and Stroke(mmxmm): 1700 ± 100r/min Front wheel space: 970mm; Rear wheel space:990mm Minimum Ground clearance: 220mm Seat height: 780 ± 20mm Handle height: 1100mm Max Load capacity: 500kg/1100lbs</p>	<p><u><i>Latest price?</i></u></p> <p><u><i>Please inquire us!</i></u></p>
<p>Optional parts / Extra price</p>		

	<p>Brake: Front and rear disc brake Wheel size: Front 23x7-10; Rear 22x10-10 Aluminum wheelrim</p>	
	<p>Package: Iron cage with carton outside Net weight: 320kgs/704lbs Gross weight: 360kgs/792lbs Carton size: 290x125x82cm/1pc Container: 4pcs/20ft, 12pcs/40HQ</p>	
	<p>Video: Introduction: https://youtu.be/7KqCMPb_Frl Dimensions check: https://youtu.be/rFvM5dK6D5E</p>	
	<p>Factory Website https://mademoto.com/farm-atv</p>	

<p>AT3004 4X4</p> 	<p>Special Features:</p> <ul style="list-style-type: none"> * 350CC Water Cooling Engine * 4 Wheeler All Terrain * Front McPherson independent suspension * Front & Rear Strong Cargo rack * Digital display front panel * Rear tow bar included <p>4 Wheel Drive Best Price 4X4 350CC Adult ATV Quad Bike on Electric Starting</p> <p>Key Specification: Wheel number: 4 Piston displacement: 350cc BASHAN engine Engine type: Water Cooling CVT Ignition: CDI Gear: F-N-R Front have two different speed 2 wheel and 4 wheel drive optional Max Speed: 90km/h; 56mile/h Shock suspensions: front McPherson independent suspension, rear independent shock suspensions.</p>	<p><u><i>Latest price?</i></u></p> <p><u><i>Please inquire us!</i></u></p>
<p>Optional parts / Extra price</p>		
<p>Basic Price Include Parts:</p>	<p>Brake: Front disc brake, Rear disc brake Starting system: Electric start Battery spec: 12V,9AH Product size: 1940x1090 x 915cm Wheelbase: 770mm Seat height: 780mm</p>	
	<p>Front Wheel size: Front: AT25*8-12 Front wheel clearance: 910mm</p>	

--	--	--

Model Number	Basic Price Vehicle's Key Specification	Basic Prices
Notice: All the Optional parts are not include for the Basic Price, the picture is just for your reference		
<p>JW3001 4X4 <u>NEW</u></p> 	<p>Key Specification: Wheel number: 4 Product size: 2900*1520*1620mm Piston Displacement: 300cc Engine type: Water Cooling, Single Cylinder, 4 stroke Oil tank: 25L Seat Number: 4 Clutch type: dry automatic centrifugal Start battery: 12V9AH Transmission method: rear drive axle with integrated bridge differential. Transmission type: continuously variable CVT Economic fuel consumption: 6L/100km Max load capacity: 450KGS Shock absorption mode: front and rear longitudinal leaf springs + hydraulic shock absorption balance system Brake form: four-wheel hydraulic disc brake Ground Clearance: 270mm Fuel type: 92# or above gasoline Star: Electric Starter Wheel Size: 12inch</p> <p>Package: Iron cage with carton outside Net weight: 500kgs Gross weight: 528kgs Carton size: 271.5 x 141 x 95cm/pc Container: 6pcs/20ft, 12pcs/40HQ</p>	<p><u><i>Latest price?</i></u></p> <p><u><i>Please inquire us!</i></u></p>
<p>Adult Jeep JW1501</p> 	<p>Special Features: * Much larger size for adult * 200CC GY6 Engine, Auto Clutch * 4 Independent Shock Suspensions * Big 15 Liter Fuel Tank * Adjustable seat</p> <p>Vehicle's Key Specification: Wheel number: 4 Basic price Piston displacement: 200cc Jinlong Engine Dimension: 2350x1450x1460mm Engine type: 4 stroke, Air Cooled, GY6, Single Cylinder, Fully-automatic with reverse Gear: F-N-R forward, neutral and reverse gears Load capacity: 300KGS</p>	<p><u><i>Latest price?</i></u></p> <p><u><i>Please inquire us!</i></u></p>

<p>Optional parts / Extra price</p>	<p>Ignition: CDI Max. Speed: 60 km/h Wheel size: Front 23x7-10; Rear 22x10-10 Aluminum wheelrim Starter: Electric start Battery: 12V,9AH Clutch: CVT Transmission: Chain Drive Fuel Tank Capacity: 15L Economic fuel consumption: 3L/100km Brake Front: Hydraulic disc brakes Brake Rear: Hydraulic disc brakes Ground Clearance: 180mm Package: Iron cage with carton outside Net Weight: 178kgs/391lbs Gross Weight: 202kgs/445lbs Carton size: 2300mm*1410mm*730mm Container: 12pcs/20', 24pcs/40'HQ</p>	
<p>TANK02-Petrol</p> 	<p>Features:</p> <ul style="list-style-type: none"> * Two Seaters with Safety Belt * Easy 360 Degree Stationary Turn * Forward and Reverse Gearshift * Seat Clearance Easy Adjustable * Suitable for All Terran * Gun Cannon Imitation Sound * Most Popular Project in Amusement Park * Electric Power Optional <p>Petrol Powered All Terran ATV Battle Tank on 200cc Air Cooling Engine</p> <p>Key Specification:</p> <p>Product size: 1930x110x950mm Motor: 200cc Air Cooling Engine Transmission: Chain drive Fuel Tank: 15L Range: 60km; 40mile Track Size: 150x72x47mm Adjustable Seat Clearance: 100mm Load capacity: 300kgs/660lbs Max speed: 30km/h; 18.5mile Ground Clearance: 189mm</p> <p>Package: Iron cage with carton outside Net weight: 300kgs/660lbs Gross weight: 335kgs/737lbs Carton size: 180x115x87cm/pc Container: 16pcs/20ft, 36pcs/40HQ</p>	<p><i><u>Latest price?</u></i></p> <p><i><u>Please inquire us!</u></i></p>
<p>Video Link: https://youtu.be/6CQhJVP7QfI Factory Site: https://mademoto.com/battletank</p>		