



MADEMOTO

Leading Sports & Leisure Vehicles Supplier

WIZTEM INDUSTRY COMPANY LIMITED

ABOUT US

Wiztem Industry Company Limited was found in 2004. We started Sports & Leisure vehicle business from vehicle frame manufacturing. We are supplier vehicle frames to other factory in the first 4 years. Since 2008, we have started on full electric scooters, ATV, go kart and citycoco producing in our factory. And exporting worldwide.

Wiztem Industry Company Limited (Business Registered Number:37134098) specializes in producing various types vehicles. Our products are covering electric scooters, citycoco, ATV, go kart etc. We are capable of producing over 150,000 sets annually. Our factory has been certified by the government as One of the National Top 100 Enterprises and given many other awards.

With modern pipelines and in accordance with ISO 9002 international standards, we have strong ability to produce top-quality products. Advanced equipment, machinery and skillful workers guarantee our quality. Our products are now being private labeled to many famous companies around the world.

With attractive design, excellent service, reasonable price and powerful energy output, our products take great share in the market.

We are looking forward to establishing a long-term relationship with all companies worldwide. Our motto is to strengthen and expand market for both your company and ours. Contact us now we will sincerely do our best to provide the best we can.

Thank you in advance for your interest and business.



CITYCOCO AND ELECTRIC GO KART



EA0807 ELECTRIC VINTAGE CAR

Overall Dimensions: 1850 x1200 x 950mm
Motor: 800W Permanent Magnetic Brushless
Battery: 48V 20AH Lead acid battery
Power Transmission: Gearbox shaft Driving
Suspension: Front & Rear hydraulic shock suspensions
Max.Loading capacity:≥200kg/440Lbs
Min.ground clearance:255mm
Brake: Front & Rear hydraulic disc brakes
Speed: 40km/h; 25mile/h
Distance range: 40km/25mile
Charger time :4-6 hours
Wheel Size: Front & Rear 16x8-7
Wheelbase: 1220 mm
Climbing Capacity: ≥ 25 degrees
Package: Iron cage with carton outside
Net weight: 130kgs/286Lbs
Gross weight: 155kgs/341Lbs
Carton size: 192x110x53cm/1PC
Container: 24pcs/20ft, 58pcs/40HQ



EG300 I FOR BIG ADULT TWO SEAT

Product size: 2600x1600x1480mm
Motor: 3000W AC Motor
Transmission: Shaft drive
Battery: 60V 50AH Lead acid
Brake: Front & Rear Hydraulic disc brake
Charging time: 8 hours
Range: 40km/25mile
Seat height: 450mm
Ground Clearance: 260mm
Load capacity: 300kgs/660lbs
Max speed: 50km/h; 31mile/h
Wheelbase: 1760mm
Shock suspension: Airbag shock absorption
Wheel size: 10inch on Aluminum wheelrim

Package: Iron cage with carton outside
Net weight: 260kgs/572lbs
Gross weight: 285kgs/627lbs
Carton size: 2300x1400x840mm/pc
Container: 8pcs/20ft, 24pcs/40HQ



EG5002 FOR ADULT

Product size: 2600x1600x1550mm
Motor: 5KW 72V Synchronous Motor
Transmission: Shaft drive
Gearshift: 1 forward & 1 reverse
Battery: 72V 120Ah LFP(Lithium Iron Phosphate) battery
Brake: 4 hydraulic disc brake
Charging time: 6-8 hours
Seat height: 450mm
Ground Clearance: 260mm
Load capacity: 300kg; 660Lbs
Speed: 80km/h; 50mile/h
Wheelbase: 1760mm
Shock suspension: 4 Independent shock suspensions
Wheel size: Front: 22X7-10; Rear: 22x10-10

Package: Iron cage with carton outside
Net weight: 355kgs/781Lbs
Gross weight: 400kgs/880Lbs
Carton size: 230x141x90cm/pc
Container: 8pcs/20ft, 16pcs/40HQ

ELECTRIC OFF ROAD GO KART



EA350 I -SNOW FOR KIDS

Product size: 1325 x 780 x 650mm
Front sledge size: 430 x 105mm
Rear snow track size: 470 x 220 x 118mm
Seat height: 480mm
Motor: 500W differential motor with shaft drive
Battery: 48V 20Ah Lead acid battery
Brake: Rear disc brake
Charging time: 8 hours
Range: 25km in winter
Seat height: 450mm
Ground Clearance: 260mm
Load capacity: 70kgs
Max speed: 15km/h;9.3mile
Shock suspension: Front dual & rear single
Climb capacity: ≥ 15 degrees

Package: Iron cage with carton outside
Net weight: 53kgs/117lbs
Gross weight: 62kgs/136lbs
Carton size: 123.5 x 63.5 x 53.5cm/1pc
Container: 52pcs/20ft, 140pcs/40HQ

ET050 I -SNOW FOR TEENAGER

Outer Dimensions: 1500 x 845 x 1115mm
Motor: 500W differential motor with shaft drive
Battery: 48V 20Ah Lead acid battery
Charging time: 6 hours
Speed Control: 3 Levels
Range: 35-40km per charge
Shock Suspensions: Four Independent shock suspensions
Power transmission: Gearbox Shaft Driving
Brakes: rear dual hydraulic disc brake
Rear Track Width: 110mm
Loading Capacity: 100kgs/220Lbs
Max speed: 15-20km/h; 9-14mile/h
Wheelbase: 950mm
Seat clearance: 430-510mm
Ground clearance: 205mm

Package: Iron cage with carton outside
Net weight: 75kgs/165lbs
Gross weight: 84kgs/185lbs
Carton size: 153x86x66cm/1pc
Container: 21pcs/20', 60pcs/40'HQ

EG050 I FOR TEENAGER

Outer Dimensions: 1510x880x1200mm
Motor: 500W differential motor with shaft drive
Battery: 48V 20Ah Lead acid battery
Charging time: 6 hours
Speed Control: 3 Levels
Range: 35-40KM
Shock Suspensions: Four Independent shock suspensions
Power transmission: Gearbox Shaft Driving
Brakes: rear dual hydraulic disc brake
Wheel size: front: 14x4.10-6(6inch), rear: 14*5.0-6
Max loading: 100kgs/220Lbs
Max speed: 45km/h; 28mile/h
Wheel space: 950mm
Seat clearance: 430-510mm
Ground clearance: 220mm

Package: Iron cage with carton outside
Net weight: 75kgs/165lbs
Gross weight: 84kgs/185lbs
Carton size: 153x86x66cm/1pc
Container: 21pcs/20', 60pcs/40'HQ

ELECTRIC OFF ROAD GO KART



EG1003-1200W ONE SEAT ADULT

Product dimensions: 1450x1030x800mm

Brake: Rear hand disc brake

Suspension: 4 independent shock suspensions

Wheel size: Front & rear 19*7-8

Ground clearance: 220mm

Motor: 1200W Brushless Motor

Battery: 48V 10.4Ah Lithium battery

Top speed: 40km/h; 25miles/h

Transmission: Gearbox shaft drive

Load capacity: 200kgs/440Lbs

Range: 25km; 15.5miles

Package: Carton Packing

Net weight: 74kg/163Lbs

Gross weight: 80kgs/176/Lbs

Out carton size:

97x51x27cm/1pc

99*x52x50cm/1pc

Container: 70pcs/20', 150pcs/40'HQ



EG1003-2KW ONE SEAT ADULT

Product size: 1350 x 950 x 750mm

Wheelbase: 940mm

Motor Power: 2000W

Battery: 48V 10.4Ah Lithium

Range: 15km/40MINS

Transmission: Chain Driving

Brake: Rear single disc brake

Wheel size: Front & Rear 4.10-6

Ground Clearance: 225mm

Loading: ≥ 100kg/220Lbs

Max Speed: 40km/h; 25mile/h

Climbing Capacity: ≥ 25 degree

Package: Iron cage with carton outside

Net weight: 49kgs/108Lbs

Gross weight: 57kgs/125Lbs

Carton size: 108.5x59.5x45cm/pc (Container order)

Less container order: 127x90.5x55cm/1pc

Container: 95pcs/20', 246pcs/40'HQ



EG1003-3KW 75KM/H

Product size: 1500 x 1050 x 800mm

Wheelbase: 960mm

Motor Power: 3KW Brushless

Battery: 72V 35Ah Lithium

Range: 65km; 41mile

Transmission: Gearbox Shaft Driving

Brake: 2 Rear disc brakes

Wheel size: Front & Rear AT19/7-8

Ground Clearance: 230mm

Loading: ≥ 200kgs/440Lbs

Max Speed: 75km/h; 47/mile/h

Climbing Capacity: ≥ 25 degree

Package: Iron cage with carton outside

Net weight: 76kgs/168Lbs

Gross weight: 85kgs/187Lbs

Out carton size: 144 x 85 x 62cm/1PC

Container: 30pcs/20', 84pcs/40'HQ

ELECTRIC OFF ROAD GO KART



EEC



CE



EG1006 TWO SEAT FOR ADULT

Product size: 1860x1175x1380mm
Motor: 1000W brushless motor
Transmission: Shaft drive
Battery: 60V 20Ah brand lead acid battery
Brake: Rear hydraulic dual disc brakes
Charging time: 4-8 hours
Range: 45km; 28mile
Ground Clearance: 200mm
Load capacity: 200kg; 440Lbs
Max speed: 50km/h; 31mile/h
Wheelbase: 1450mm
Shock suspension: 4 dependent
Wheel size: Front 18/6.0-7; Rear 16/9.5-8
Package: Iron cage with carton outside
Net weight: 150kgs/330Lbs
Gross weight: 185kgs/407Lbs
Carton size: 174 x 100 x 76cm/pc
Container: 18pcs/20ft, 39pcs/40HQ



EG1501 FOR ADULT AND KIDS

Product size: 1700x1205x 1250mm
Motor power: 1200W Brushless Motor
Battery: 60V 20AH Lead Acid
Rate power: 1200W±10%
DC Motor Running Speed: 5600rpm
Charging power input: 110-240V/50-60HZ
Charging time: 8-12 hours
Max speed: 45±2 km/h
Range: ≥40km per charge
Brake: Front: disc brake, Rear: disc brake
Transmission: shaft drive transmission
Wheel size: Front: 145/70-6, Rear: 16*8-7
Max load capacity: 160kgs/352Lbs
Wheelbase: 1280mm
Ground clearance: 188mm
Color available: red, blue, black
Package: Iron cage with carton outside
Net weight: 140kgs
Gross weight: 155kgs
Carton size: 162x97x50cm/1pc
Container: 28pcs/20', 70pcs/40'HQ



EG1002PRO FOR ADULT

Product size: 1450 x 1010 x 1200mm
Motor power: 1000W Brushless Motor
Battery: 48V 20AH Lead Acid
Rate power: 1000W±10%
Charging power input: 110-240V/50-60HZ
Charging time: 8-12 hours
Max speed: 31 km/h
Range: 40km on Lead acid, 80km on lithium
Brake: 2 rear disc brakes
Transmission: shaft drive transmission
Wheel size: Front: 16*8-7, Rear: 16*8-7
Max climbing capacity: 35 degrees
Max load capacity: 160kgs/352lbs
Wheelbase: 1200mm
Package: Iron cage with carton outside
Net weight: 100kgs/220Lbs
Gross weight: 125kgs/275Lbs
Carton size: 146x94x55cm/1pc
Container: 32pcs/20', 64pcs/40'HQ

ELECTRIC JEEP



EJW050 I FOR KIDS

Product size: 2060x970x950mm
Wheelbase: 1150mm
Ground Clearance: 190mm
Motor power: 650W Brushless motor
Battery: 48V 20AH ChaoWei Lead-acid
Range: 45km/28mile
Charging power input: AC80-240V
Charging time: 8-10 hours
Life of storage battery: about 300 cycles
Speed: 35km/h; 22mile/h
Brake: Rear dual drum brakes
Transmission: Rear gearbox drive
Wheel size: Front & Rear 17*7.00-8
Package: Iron cage with carton outside
Net weight: 175kgs/385Lbs
Gross weight: 188kgs/412Lbs
Carton size: 170x98x97cm/pc
Container: 170pcs/20ft, 350pcs/40HQ



EJW150 I TWO SEAT ADULT

Dimension: 2350x1450x1460mm
Motor: 3000W Differential Brushless motor
Battery: 60V 52AH Lead acid battery
Range: 50km per Charge
Seat Number: 2
Max speed: 55KM/H
Transmission: Shaft drive, 2 wheel drive
Loading Capacity: 200kg/440Lbs
Wheel size: Front 23x7-10; Rear 22x10-10
Brake Front: Hydraulic disc brakes
Brake Rear: Hydraulic disc brakes
Ground Clearance: 180mm
Package: Iron cage with carton outside
Net Weight: 178kgs/391lbs
Gross Weight: 202kgs/445lbs
Carton size: 230x141x73cm/1pc
Container: 12pcs/20', 24pcs/40'HQ



EJW300 I FOUR SEAT ADULT

Product size: 2900x1520x1620mm
Motor: 3000W AC Motor
Transmission: Shaft drive
Battery: 60V 50AH Chaowei or Nieneng brand lead acid battery
Brake: Front & Rear Hydraulic disc brake
Charging time: 8 hours
Max speed: 50km/h; 31mile/h
Range: 40km/25mile
Seat Number: 4
Load capacity: 300kgs/660lbs
Shock absorption mode: front and rear longitudinal leaf springs + hydraulic shock absorption balance system
Brake form: four-wheel hydraulic disc brake
Ground Clearance: 270mm
Wheel Size: 12inch
Package: Iron cage with carton outside
Net weight: 500kgs/1100Lbs
Gross weight: 528kgs/1162Lbs
Carton size: 271.5 x 141 x 95cm/1PC
Container: 6pcs/20ft, 12pcs/40HQ

ELECTRIC ATV FOR KIDS



EA05 I 2 FOR KIDS

Product size: 1080 x 580 x 730mm
Wheelbase: 705mm
Ground Clearance: 148mm
Seat Height: 480mm
Motor power: 500W Brushed Motor
Battery: 36V 12AH
Rated power: 500W±10%
Charging power input: AC80-240V
Charging time: 3-4 hours
Life of storage battery: about 300 cycles
Speed: 18-20km/h
Brake: Front & Rear disc brake
Transmission: Chain driving
Wheel size: 4.10-6
Load capacity: ≥ 70kgs/154lbs
Front /Rear wheel: Iron wheel rim
Package: Iron cage with carton outside
Net weight: 45kgs/99Lbs
Gross weight: 53kgs/117/Lbs
Carton size: 102x58x52cm/1pc
Container: 88pcs/20ft, 228pcs/40HQ



EA05 I 4 FOR KIDS

Product size: 1100 x 660 x 690mm
Wheelbase: 895mm
Ground Clearance: 155mm
Seat Height: 480mm
Motor power: 500W Brushed Motor
Battery: 36V 12AH
Rated power: 500W±10%
Charging power input: AC80-240V
Charging time: 3-4 hours
Life of storage battery: about 300 cycles
Speed: 30-35km/h
Brake: Front & Rear disc brake
Transmission: Chain driving
Wheel size: 4.10-6
Load capacity: ≥ 70kgs/154lbs
Climb capacity: ≥ 15 degrees
Front /Rear wheel: Iron wheel rim
Package: Iron cage with carton outside
Net weight: 45kgs/99Lbs
Gross weight: 53kgs/117/Lbs
Carton size: 102x58x52cm/1pc
Container: 88pcs/20ft, 228pcs/40HQ



EA05 I 5 FOR KIDS

Product size: 1140 x 570 x 740mm
Wheelbase: 720mm
Ground Clearance: 175mm
Seat Height: 560mm
Motor power: 500W Brushed Motor
Battery: 36V 12Ah Lead-Acid
Rated power: 500W±10%
Charging power input: AC80-240V
Charging time: 3-4 hours
Life of storage battery: about 300 cycles
Speed: 20-25km/h
Brake: Front & Rear disc brake
Transmission: Chain driving
Wheel size: 4.10-6
Load capacity: ≥ 70kgs/154lbs
Climb capacity: ≥ 15 degrees
Front /Rear wheel: Iron wheel rim
Package: Iron cage with carton outside
Net weight: 45kgs/99Lbs
Gross weight: 53kgs/117/Lbs
Carton size: 102x58x52cm/1pc
Container: 88pcs/20ft, 228pcs/40HQ

ELECTRIC ATV FOR ADULT



EA0806 4X4 FOR ADULT

Product size: 1830x1100x1100mm
Drive: 4X4
Motor power: 60V 2000W Brushless DC x2
=4000W Motor
Battery: 60V 50AH Lead Acid
Rate power: 4000W±10%
Max torque(N/M): 68(2WD) 100(4WD)
Charging power input: 80-240V/50-60Hz 7A
Charging time: 8-12 hours
Max speed: 55km/h(4WD) ; 45Km/h (2WD)
Max range: 50km(2WD) ; 30Km(4WD)
Brake: front: disc brake, rear: disc brake
Transmission: shaft drive transmission
Wheel size: 10 inch iron wheel
Tyre size: Front 23*7-10 ,Rear 22*10.0-10
Max climbing angle: 45(4WD) ; 35(2WD)
Package: Iron cage with carton outside
Net weight: 271kgs/596.2lbs
Gross weight: 243kgs/534.6lbs
Carton size: 158x106x76cm/1pc
Container: 20pcs/20', 42pcs/40'HQ



EA0809 1.2KW 60V FOR ADULT

Product Size: 1620x1050x995mm
Wheelbase: 1065mm
Motor Power: 1.2KW DC Motor
Battery: 60V 32AH Lead Acid
Transmission: Gearbox shaft driving
Speed: 45km/h; 99mile/h
Range per Charge: 55km; 35mile
Loading Capacity: 85kgs/187Lbs
Climb: ≥15 degrees
Brake: Front disc brake, Rear disc brake
Front Wheel size: 19x7-8 Iron wheel-rim
Rear Wheel size: 18x9.5-8 Iron wheel-rim
Seat Height: 780mm
Ground Clearance: 262mm
Color available: red, blue, black, yellow etc.
Package: Iron cage with carton outside
Net weight: 154kgs/339Lbs
Gross weight: 179kgs/394Lbs
Carton size: 138x90x63cm/1pc
Container: 30pcs/20', 84pcs/40'HQ



EA3001-8KW 100KM/H

Product Size: 1925 x 1280 x 1090mm
Wheelbase: 1250mm
Motor Power: 8KW brushless motor
Battery: 72V 150Ah Lithium Battery
Transmission: Gearbox shaft driving
Speed: 100km/h; 62mile/h
Range per Charge: 120km; 75mile
Loading Capacity: 200kg/440Lbs
Brake: Front disc brake, Rear disc brake
Front Wheel size: 21x7-10 Iron wheelrim
Rear Wheel size: 20x11-10 Iron wheelrim
Seat Height: 830mm
Ground Clearance: 270mm
Package: Iron cage with carton outside
Net weight: 260kgs/572Lbs
Gross weight: 310kgs/682Lbs
Carton size: 158x160x83cm/1pc
Container: 21pcs/20ft, 42pcs/40HQ

ELECTRIC ATV FOR ADULT



EA350 I 1500W FOR ADULT

Product size: 1300x880x845mm
Wheelbase: 1300mm
Motor power: 1500W Differential motors
Battery: 60V 20AH
Rated power: 1500W±10%
Charging power input: AC80-240V
Charging time: 8-10 hours
Life of storage battery: about 300 cycles
Speed: 40km/h
Brake: Front drum brake, Rear disc brake
Transmission: Shaft drive
Wheel size: Front & Rear 16*7-8
Load capacity: ≥ 120kgs/264lbs
Climb capacity: ≥ 15 degrees
Front /Rear wheel: Iron wheel rim
Color available: gray, red, blue, black, yellow
Package: Iron cage with carton outside
Net weight: 95kgs
Gross weight: 107kgs
Carton size: 1.32*0.82*0.72m/1pc
Container: 34pcs/20ft, 80pcs/40HQ



EA120 I 1500W FOR ADULT

Product size: 1450*960*940mm
Motor: 60V 1500W
Transmission: Shaft drive
Battery: 60V 20AH lead acid battery
Brake: front & rear disc brake
Charging time: 8 hours
Range: 50km
Seat height: 680mm
Ground Clearance: 235mm
Load capacity: 300kgs/660Lbs
Max speed: 45km/h
Wheelspace: 960mm
Shock suspension: Hydraulic shock absorption
Wheel size: 8inch iron wheelrim
Package: Iron cage with carton outside
Net weight: 115kgs/253lbs
Gross weight: 133kgs/292.6lbs
Carton size: 130x76x61cm/1pc
Container: 36pcs/20', 108pcs/40'HQ



EA0806 72V FOR BIG ADULT

Motor power: 2000W brushless Differential motor
Battery: 72V 20AH (12V/20AH*6)
Brake: Front and rear Disc brake
Transmission: Shaft drive
Wheel size: 12inch aluminum wheelrim
Front and rear shock suspension
With side cover include turning light
With LED front four above light
with Rear mirror
With Horn
With Reverse
Max speed: 50KM/H
Range: 60KM
Color available: Black, Red, Blue, Orange etc.
Package: Iron cage with carton outside
Net weight: 190kgs/418lbs
Gross weight: 220kgs/484lbs
Carton size: 172x90x80cm/1pc
Container: 12pcs/20', 39pcs/40'HQ

ELECTRIC ATV FOR ADULT



EA500 I -5KW FOR ADULT

Product size: 1900x1140x1200mm
Motor power: 5000W
Battery: 60V 52AH
Rate power: 5000W±10%
AC Motor Running Speed: 5000rpm
Charging power input: 110-240V/50-60HZ
Charging time: 8-12 hours
Max speed: 45±2 km/h
Max range: About 55km
Brake: front: oil drum brake, rear: disc brake
Transmission: shaft drive transmission
Wheel size: Front: 25*8.5-12, Rear: 25*10-12
Max climbing capacity: 40 degrees
Ground clearance: 220mm
Seat height: 900mm
Package: Iron cage with carton outside
Net weight: 275kgs
Gross weight: 298kgs
Carton size: 195x112x85cm/1pc
Container: 16pcs/20', 32pcs/40', 48pcs/40'HQ



EA2002 VINTAGE CAR

Product dimensions: 2310x1260x880mm
Standard Motor: 1500W
Controller: 48V-96V 70A
Battery: 72V 20AH Lead acid battery
Driving : Differential rear wheel driving
Suspension: F/R Double A-arm independent suspens
Max.Loading capacity: ≥230kg/506Lbs
Min.ground clearance: 195mm
Break type(F/R): F/R hydraulic disc
Max speed: 65km/h; 40mile/h
Distance range: 45km on Lead acid,
65km-75km on lithium
Charger time : 3.5-4 hours
Front /rear wheels: 145/7-12
Front hanging: double arm-swing
Wheelbase: 1300 mm
Height of seats: 430mm (seat can be removed)
Package: Iron cage with carton outside
Net weight: 500kgs/1100Lbs
Gross weight: 528kgs/1162Lbs
Carton size: 230x130x73cm/1PC
Container: 12pcs/20ft, 24pcs/40HQ



EA2003 VINTAGE CAR

Overall Dimensions: 2480 x 1300 x 900mm
Standard Motor: 2200W Brushless motor Power
Transmission: Gearbox Shaft Drive
Speed: high speed 50km/h, low speed 20km/h
Range: 50km per charge
Battery : 60V/50Ah Lithium Battery
Brake: Four-wheel disc brake
Front Wheel: 125/65-12 Aluminum wheel-rim
Rear Wheel: 125/65-12 Aluminum wheel-rim
Ground clearance: 190mm
Wheelbase: 1455mm
Minimum Turning Diameter: 8M
Wheel Track: 1155mm

Package: Iron cage with carton outside
Net weight: 230kg/506Lbs
Gross weight: 275kg/6025Lbs
Carton size: 255x134x65cm/1PC
Container: 6pcs/20ft, 12pcs/40HQ

ELECTRIC ATV



EA600 I 4X4 FOR ADULT

Product size: 1750 X 1400 X 1403mm
Motor power: 60V 4pcs 1500W Hub-Motor
Battery: 60V80AH Lithium battery
Rate power: 6000W±10%
Charging power input: 80-240V/50-60Hz 7A
Charging time: 8-12 hours
Max speed: 45Km/h; 28mile/h
Range: 120KM
Brake: front & rear hydraulic disc brake
Ingress protection level: IP66
Isolation level: H
Transmission: 4 Independent Hub Motor Driving
Wheel size: Front: 21X7-10, Rear: 21X7-10 Tubless Tire
Loading capacity: 300kgs/660Lbs
Package: Iron cage with carton outside
Net weight: 175kgs/385lbs
Gross weight: 210kgs/462lbs
Carton size: 176x102x86cm/1pc
Container: 18pcs/20', 44pcs/40'HQ



EG I 003 ELECTRIC GO KART ADULT

EG1003 500W
Product size: 127X87X55CM
500W Differential motors shaft drive
48V 12AH lead acid battery
Max speed: 31km/h
Brake: Rear disc hand brake
Load capacity: 120KGS
Wheels: front and rear: 145/70-6 With T handle bar

EG1003 1000W
Product size: 127X87X55CM
1000W Differential motors shaft drive
48V 20AH lead acid battery
Max speed: 40km/h
Brake: Rear disc hand brake
Load capacity: 150KGS
Wheels: front and rear: 145/70-6 With T handle bar



EA350 I FOR KIDS

Product size: 1125x680x730mm
Motor power: 500W/1000W Differential motors shaft drive
Brush or brushless motor all can do
Battery: 48V 12AH/20AH, 36V 12AH/20AH
Charging power input: AC80-240V
Charging time: 3-4 hours
Life of storage battery: about 300 cycles
Speed: 18-38KM/H
Brake: Front & Rear disc brake
Transmission: gearbox shaft drive or chain drive
Wheel size: 4.10-6 or big 6inch tyre
Load capacity: ≥ 70kgs/154lbs
Climb capacity: ≥ 15 degrees
Front /Rear wheel: Iron wheel rim
Color available: gray, red, blue, black, yellow
Package: Iron cage with carton outside
Net weight: 56kgs
Gross weight: 68kgs
Carton size: 110x70x63.5cm/1pc
Container: 48pcs/20ft, 132pcs/40HQ

DIRT BIKE



ED5004 FOR KIDS

Product size: 1220x620x750mm

Motor power: 500W

Battery capacity: 12Ah 36V lead-acid

Load capacity: 80kgs/176lbs

Charging time: 3-6 hours

Range: 2-2.5 hours or 28-32km/17-19miles

Ground clearance: 200mm

Seat height: 540mm

Recharge times: > 200times

Max speed: 25km/h 15.5/mile/h

Input voltage of charger: 110V 220V

Brake: front: disc, rear: disc

Wheelbase: 860mm

Power transmission: chain

Tire: 2.50-10

Package: Carton Packing

Net weight: 34kgs/74.8lbs

Gross weight: 38kgs/83.6lbs

Out carton size: 116x32x55cm/1pc

Container: 148pcs/20', 290pcs/40', 290pcs/40'HQ



ED1002 FOR ADULT

Product size: 1500 x 740 x 1050mm

Wheelbase: 1020mm

Motor Power: 1000W

Battery: 48V 20Ah Lithium battery

Range: 45km; 28mile

Transmission: Chain drive

Loading: ≥ 100kg/220Lbs

Speed: 45km/h; 28mile/h

Climbing Capacity: ≥ 25 degree

Brake: Front Disc brake, Rear disc brake

Wheel size: Front 60/100-14; Rear 80/100-12

Seat Height: 800mm

Ground Clearance: 350mm

Colors: Black, Red, Blue, Yellow, Orange etc

Package: Iron cage with carton outside

Net weight: 72kgs/158Lbs

Gross weight: 78kgs/172Lbs

Carton size: 145 x 38 x 70cm/1pc

Container: 75pcs/20', 200pcs/40'HQ



DB1101 GAS DIRT BIKE FOR ADULT

Product size: 1700 x 710 x 1100mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Front & Rear hydraulic disc brake

Seat height: 700mm

Front Wheel size: 90/100-14

Rear Wheel size: 70/100-17

Package: Iron cage with carton outside

Net weight: 78kgs/172lbs

Gross weight: 89kgs/196lbs

Carton size: 153 x 43 x 72mm/pc

Container: 55pcs/20ft, 133pcs/40HQ

GAS DIRT BIKE



DB0494 49CC FOR KIDS

Product dimensions: 1080x550x780mm

Engine: 49cc, single cylinder, 2-stroke, air cooled

Top speed: 45km/h, 28miles/h

Start: pull start

Transmission: chain drive

Brake: front and rear disc brake

Tank capacity: 2.4L

Suspension: front and rear suspension

Front/rear wheel size: 2.5-10

Maximum load capacity: 80kgs/176lbs

Color available: red, black, blue, silver, yellow and green

Package: Carton Packing

Net weight: 21kgs/46lbs

Gross weight: 23kgs/50lbs

Carton size: 104*32*52cm/1pc

Container: 144pcs/20', 395pcs/40'HQ



DB0495 49CC FOR KIDS

Product dimensions: 1080x550x780mm

Engine: 49cc, single cylinder, 2-stroke, air cooled

Top speed: 45km/h, 28miles/h

Start: pull start

Transmission: chain drive

Brake: front and rear disc brake

Tank capacity: 2.4L

Suspension: front and rear suspension

Front/rear wheel size: 2.5-10

Maximum load capacity: 80kgs/176lbs

Color available: red, black, blue, silver, yellow and green

Seat height: 62cm

Each color's Minimum order is 5pcs.

Package: Carton Packing

Net weight: 34kgs/74.8lbs

Gross weight: 38kgs/83.6lbs

Out carton size: 112*32*53cm/1pc

Container: 144pcs/20', 385pcs/40'HQ



DB1501 FOR ADULT

Engine: 150CC 4stroke air cooled, Front 4 gears

Engine Brand: shineray

Gasoline Consumption: 20KM/L

Starting System: electric start(12V5AH)

Fuel tank capacity: 5L

Max Speed(km/h): 60km/h

Brake System: F/R: Hydraulic disc/Hydraulic disc

Ignition Mode: CDI

Front tire: 70/100-17

Rear tire: 90/100-14

Transmission: Chain

Seat High: 84CM

Load capacity: 110KGS

Product Size(cm): 168*73*112

Color Available: Red, yellow, blue, green, black

Package: Carton Packing

Net weight: 78kgs/123lbs

Gross weight: 89kgs/143lbs

Packing Size(cm): 152*38*75

Container: 64pcs/20', 133pcs/40', 156pcs/40'HQ

MINI JEEP WILLYS



JWI 101 GAS MINI JEEP

Wheel number: 4
Product size: 2070 x 1050 x 960mm
Piston Displacement: 125cc
Engine type: Air Cooling, Single Cylinder
Battery: 12V 5Ah
Oil Tank: 4L
Range: 50KM
Transmission: Chain Driving
Brake: Front & Rear hydraulic disc brake
Seat height: 570mm
Front Wheel size: 18/7-8 off road iron
Rear Wheel size: 18/7-8 off road iron
With Shock Suspensions (Front and rear)
With Leather seat
Only Amy green color like photo show
Package: Iron cage with carton outside
Net weight: 140kgs/308bs
Gross weight: 160kgs/352lbs
Carton size: 195 x 115 x 64cm/pc
Container: 18pcs/20ft, 48pcs/40HQ



EJWI 101 ELECTRIC MINI JEEP

Product size: 2070 x 1050 x 960mm
Motor Power: 1200W Brush less Shaft drive
Engine type: Brushless Motor
Battery: 60V 32AH acid lead battery
Transmission: Gearbox Shaft Driving
Brake: Front & Rear hydraulic disc brake
Seat height: 570mm
Front Wheel size: 18/7-8 off road iron
Rear Wheel size: 18/7-8 off road iron
Max.Loading capacity: 160kgs
Max speed: 35-40km/h
Distance range: 35km-40km
Min.ground clearance: 100mm
With Shock Suspensions (Front and rear)
With Leather seat
Only Amy green color like photo show
Package: Iron cage with carton outside
Net weight: 180kgs/396bs
Gross weight: 200kgs/440lbs
Carton size: 195 x 115 x 64mm/pc
Container: 18pcs/20ft, 48pcs/40HQ



EUT 150 ELECTRIC UTV

Overall dimensions: 2350 x 1200 x 1530mm
Motor Power: 1500W Hub Brushless Motor
Battery: 72V 52Ah Tian Neng Brand Lead-Acid
Wheel driving Type: 2x4
Final Drive: Shaft drive
Transmission: Shaft drive F-N-R
Forward Lights: Headlights-High & Low Beam
Suspension Front: Double A-arm optional
Suspension Rear: Dual Hydraulic Shock Swing arm
Brake: Front & Rear Disc Brake
Seat height: 550mm
Wheel size: Front: 21X7-10; Rear: 20.5X10-10
Max speed: 45km/h
Max range: 55km
Ground clearance: 150mm
Loading capacity: 300kgs
Package: Steel frame with carton outside
Net Weight: 220kgs
Gross Weight: 250kgs
Carton Size: 240x127x102cm
Container: 8pcs/20ft; 18pcs/40ft; 26pcs/40HQ

RACING GO KART



GC0901 FOR KIDS

Outer dimensions: 138x108x39cm
Engine type: 90cc,152F,4 stroke,2.4HP with dry clutch system
Engine Brand: LongXin
Max speed: 45KM/H
Starting system: manual start-up
Max load capacity: 150KGS
Frame: Steel Tube
Power transmission: chain drive
Brakes:Hydraulic brake
Brake distance: 1.5M
Wheel size: front: 10X3.6-5 ; rear: 10X4.5-5
Gas tank:2.0L
Color:black
Package: Iron cage with carton outside
Net weight:57.80kg
Gross weight: 80.7kg
Carton size:140X110X39CM (Without bumper)
166*131*50cm(With bumper)
Container:38pcs/20ft container, 106pcs/40ft container



GC2002 ONE SEAT ADULT

Engine: 168F,200CC,4STROKE,6.5HP WITH WET CLUTCH SYSTEM
Engine brand: LiFan
Product Size:1700X1100X450MM
Max Speed: 52-70KM/H
Max Load: 200KGS
Frame:Steel Tube
Brake Type: Hydraulic Brake
Brake Distance:1.5m
Transmission: Chain-Driven
Start-Up: Manual Start-Up
Average travel distance:52-70KM
Wheel: Front:10X4.5-5; rear:11X7.1-5
Wheelbase:116cm
Oil box:3.5L
Package: Carton Packing with steel frame
Net weight: 120KGS
Gross weight:139KGS
Carton size: 170x110x52cm/1pc
Container: 24pcs/20', 56pcs/40'HQ



GC2005 TWO SEAT ADULT

Product dimensions:2020x1550x650mm
Type: single cylinder, air-cooling,4-stroke
Engine: 168F,200CC,6.5HP with wet clutch
Start mode: pull
Transmission mode:chain drive
Max speed: 50-70km/h
Fuel tank capacity:3.5L
Max load: 200kgs
Frame: Steel Tube
Brake Distance: 1.5m
Wheel: Front:10X4.5-5; rear:11X7.1-5
Break type(Rear):Hydraulic disc brake
wheelbase: mm
Ground clearance:50mm
Color: Black
Package: Carton Packing with steel frame
Carton size: 2020*1550*650mm
Gross Weight:135KG
Net Weight:150KG
Container: 9pcs/20ft,21pcs/40ft,21pcs/40HQ

GAS ATV FOR KIDS



AT0491 FOR KIDS

Product dimensions: 980x620x670mm
Piston displacement: 49cc
Fuel tank volume: 1.5 liters
Fuel type: unleaded petrol/oil mix (ratio 25:1)
Start method: pull starter
Clutch: automatic
Horse power: 1.6kw/7000rpm
Engine type: single cylinder, 2-stroke, air-cooled
Load capacity: 65kgs/143lbs
Max speed: $\leq 25 \pm 5$ km/h
Brake: disc brake
Transmission: chain drive
Wheel size: front: 13x4.10-6, rear: 13x5.00-6
Wheel base: 72cm
Climb capacity: ≥ 30 degrees
Color available: red, blue, black, yellow
Package: Honeycomb carton
Net weight: 31kgs/68.34lbs
Gross weight: 40kgs/88.18lbs
Carton size: 102*58*52cm/pc
Container: 88pcs/20', 230pcs/40'HQ



AT0492 FOR KIDS

Product size: 1150x600x660mm
Piston displacement: 49cc 2stroke air cooled
Max speed: 35KM/H
Start: Pull start, Electric start optional
Transmission: Chain drive
Brake: Front disc brake, Rear disc brake
Front and rear Wheel size: 4.10-6 / 13x5.00-6 with steel hub
Package: Iron cage with carton outside
Net weight: 39kgs
Gross weight: 43kgs
Carton size: 104x58x52cm/pc
Container: 84pcs/20ft, 220pcs/40HQ



AT0495 FOR KIDS

Product dimensions: 99x62x69cm
Piston displacement: 49cc
Fuel tank volume: 1.2 liters
Fuel type: unleaded petrol/oil mix (ratio 25:1)
Start method: pull starter
Clutch: automatic
Horse power: 1.6kw/7000rpm
Engine type: single cylinder, 2-stroke, air-cooled
Load capacity: 65kgs/143lbs
Max speed: $\leq 25 \pm 5$ km/h
Brake: Front and rear disc brake
Transmission: chain drive
Wheel size: 13x4.1-6; 13x5.00-6 with steel hub
Seat height: 430mm
Climb capacity: ≥ 10 degrees
Color available: red, blue, black, yellow, green
Package: Iron cage with carton outside
Net weight: 29kgs/63.80lbs
Gross weight: 33kgs/72.60lbs
Carton size: 98x58x52cm/pc
Container: 88pcs/20', 230pcs/40'HQ

GAS ATV QUAD BIKE



AT0499 FOR KIDS

Product dimensions: 980x620x670mm
Piston displacement: 49cc
Fuel tank volume: 1.5 liters
Fuel type: unleaded petrol/oil mix (ratio 25:1)
Start method: pull starter
Clutch: automatic
Horse power: 1.6kw/7000rpm
Engine type: single cylinder, 2-stroke, air-cooled
Load capacity: 65kgs/143lbs
Max speed: $\leq 25 \pm 5$ km/h
Brake: disc brake
Transmission: chain drive
Wheel size: front: 13x4.10-6, rear: 13x5.00-6
Wheel base: 72cm
Climb capacity: ≥ 30 degrees
Color available: red, blue, black, yellow
Package: Honeycomb carton
Net weight: 31kgs/68.34lbs
Gross weight: 40kgs/88.18lbs
Carton size: 102 x 58 x 52cm/pc
Container: 88pcs/20', 228pcs/40'HQ



AT1105 FOR ADULT

Product size: 1720 x 950 x 950mm
Piston displacement: 110cc
Engine type: Air cooling, 4 stroke
Ignition: CDI
Start: Key Electric starter
Battery: 12V 5Ah
Transmission: Auto clutch, Chain drive
Max Speed: 45km/h 28miles/h
Brake: Front drum brake, Rear disc brake
Seat height: 730mm
Front Wheel size: 16X8-7(7inch) on steel
Rear Wheel size: 16X8-7(7inch) on steel
Available color: Red, green, blue, yellow, black
Package: Iron cage with carton outside
Net weight: 91kgs/200lbs
Gross weight: 107kgs/235lbs
Carton size: 131x 76 x 60mm/pc
Container: 36pcs/20ft, 108pcs/40HQ



AT1106 LED LIGHT FOR ADULT

Product size: 1400 x 860 x 910mm
Piston displacement: 110cc
Max Speed: 45km/h 28miles/h
Engine type: Air cooling, 4 stroke
Ignition: CDI
Start: Key Electric starter
Battery: 12V 5Ah
Transmission: Auto clutch, Chain drive
Brake: Front drum brake, Rear disc brake
Seat height: 750mm
Front Wheel size: 19X7-8(8inch) on steel
Rear Wheel size: 18X9.5-8(8inch) on steel
Package: Iron cage with carton outside
Net weight: 109kgs/240lbs
Gross weight: 125kgs/275lbs
Carton size: 131 x 76 x 60mm/pc
Container: 39pcs/20ft, 108pcs/40HQ

GAS ATV QUAD BIKE



AT1108 FOR ADULT

Product size: 1550 x 950 x 950mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Max Speed: 45km/h 28miles/h

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Front drum brake, Rear disc brake

Seat height: 640mm

Front Wheel size: 16X8-7(7inch) on steel

Rear Wheel size: 16X8-7(7inch) on steel

Available color: White, Black

Package: Iron cage with carton outside

Net weight: 85kgs/187lbs

Gross weight: 97kgs/213lbs

Carton size: 126 x 76 x 60mm/pc

Container: 39pcs/20ft, 120pcs/40HQ



AT1109 FOR ADULT

Product size: 1800 x 1110 x 1120mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Front drum brake, Rear hydraulic disc brake

Seat height: 850mm

Front Wheel size: 19X7-8(8inch) on steel

Rear Wheel size: 18X9.5-8(8inch) on steel

Package: Iron cage with carton outside

Net weight: 106kgs

Gross weight: 123kgs

Carton size: 138x76x60cm/pc

Container: 36pcs/20ft, 100pcs/40HQ



AT1110 SNOW FOR ADULT

Product size: 1550 x 950 x 950mm

Piston displacement: 110cc

Engine type: Air cooling, 4 stroke

Max Speed: 45km/h 28miles/h

Ignition: CDI

Start: Key Electric starter

Battery: 12V 5Ah

Transmission: Auto clutch, Chain drive

Brake: Rear disc brake

Seat height: 730mm

Front Wheel size: 16X8-7/Sledge and track

Rear Wheel size: 16X8-7/Sledge and track

Package: Iron cage with carton outside

Net weight: 85kgs/187lbs

Gross weight: 98kgs/216lbs

Carton size: 126 x 76 x 60mm/pc

Container: 39pcs/20ft, 108pcs/40HQ

GAS ATV QUAD BIKE



AT1111 FOR ADULT

Product size: 1480 x 1130 x 145mm

Wheelbase: 915mm

Piston displacement: 125cc 1+1

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 9Ah

Muffler: Single steel muffler

Tank: Metal tank

Transmission: Auto clutch, Chain drive

Brake: Front Drum brake, Rear disc brake

Front Wheel size: 19x7-8 on steel hub

Rear Wheel size: 18x9.5-8 on steel hub

(Photo is with Aluminum hub need add USD40)

Seat Height: 700mm

Ground Clearance: 270mm

Package: Iron cage with carton outside

Net weight: 105kgs

Gross weight: 120kgs

Carton size: 131x76x65cm/pc

Container: 39pcs/20ft, 108pcs/40HQ



AT1112 FOR ADULT

Product size: 1450 x 940 x 1000mm

Wheelbase: 970mm

Piston displacement: 110cc 1+1

Engine type: Air cooling, 4 stroke

Ignition: CDI

Start: Key Electric starter

Battery: 12V 9Ah

Transmission: Auto clutch, Chain drive

Brake: Front Drum brake, Rear disc brake

Front Wheel size: 19x7-8

Rear Wheel size: 18x9.5-8

Seat Height: 750mm

Ground Clearance: 145mm

Package: Iron cage with carton outside

Net weight: 105kgs

Gross weight: 120kgs

Carton size: 135x86x60cm/pc

Container: 39pcs/20ft, 108pcs/40HQ



AT3004 4X4 FOR BIG ADULT

Piston displacement: 350cc BASHAN engine

Engine type: Water Cooling CVT

Ignition: CDI Gear: F-N-R Front have two different speed

2 wheel and 4 wheel drive optional

Max Speed: 90km/h; 56mile/h

Brake: Front disc brake, Rear disc brake

Starting system: Electric start Battery spec: 12V,9AH

Product size: 1940x1090 x 915cm

Wheelbase: 770mm

Seat height: 780mm

Front Wheel size: Front: AT25*8-12

Front wheel clearance: 910mm

Rear Wheel size: AT25*10-12

Rear Wheel clearance: 770mm

Fuel tank capacity: 15L

Range: 200km on 2 wheeler,

100km on 4 wheeler

Minimum Ground clearance: 180mm

Net weight: 230kgs/506lbs

Gross weight: 250kgs/550lbs

Carton size: 2320x1280x1050mm/pc

Container: 8pcs/20ft, 18pcs/40HQ

GAS ATV QUAD BIKE



AT1107 FOR ADULT

Product size: 1460 x 880 x 970mm
Piston displacement: 110cc
Engine type: Air cooling, 4 stroke
Ignition: CDI
Start: Key Electric starter
Battery: 12V 5Ah
Transmission: Auto clutch, Chain drive
Brake: Front drum brake, Rear disc brake
Seat height: 750mm
Front Wheel size: 16X8-7(7inch) on steel
Rear Wheel size: 16X8-7(7inch) on steel
Package: Iron cage with carton outside
Net weight: 109kgs/240lbs
Gross weight: 125kgs/275lbs
Carton size: 131 x 76 x 60mm/pc
Container: 39pcs/20ft, 108pcs/40HQ



AT1504 FOR ADULT

Piston displacement: 150cc 1+1
Engine type: GY6, 4 strokes
Max torque: 10Nm/5500rpm
Max power: 9.3kw/7500rpm
Starting system: CDI electric start
Transmission: automatic
Brake: Front drum brake, Rear disc brake
Battery spec: 12V, 9AH
Front suspension details: double A x swing arm
Rear suspension details: mono shock swing arm
Wheel size: Front: 19x7-8 Rear: 18x9.5-8
Product size: 155x88x95cm
Wheel base: 1000mm
Seat height from ground: 75cm
Ground clearance: 100mm
Load capacity: 140kg
Fuel tank capacity: 4.5L
Package: Iron cage with carton outside
Net weight: 140kg/308lbs
Gross weight: 177kg/389lbs
Carton size: 149x84x75cm
Container: 33pcs/20ft, 66pcs/40ft



AT1513 FOR ADULT

Product size: 1480 x 840 x 800mm
Piston displacement: GY6 150cc, 1+1
Engine type: Air cooling, 4 stroke
Ignition: CDI
Start: Key Electric starter
Battery: 12V 9Ah
Transmission: Auto clutch, Chain drive
Brake: Front disc brake, Rear disc brake
Front Wheel size: 21*7-10 on Aluminum
Rear Wheel size: 22*10-10 on Aluminum
Shock absorption: Alu oil pressure Shock
Package: Iron cage with carton outside
Net weight: 135kgs
Gross weight: 158kgs
Carton size: 148x84x82cm/pc
Container: 22pcs/20ft, 66pcs/40HQ

GAS ATV FOR BIG ADULT



AT1515 FOR ADULT

Product size: 1780 x 1120 x 1110mm
Wheelbase: 1180mm
Piston displacement: 150cc
CVT with gear (F-N-R)
Engine type: Air cooling, 4 stroke
Ignition: CDI
Start: Electric starter
Battery: 12V 9Ah
Transmission: Auto clutch, Chain drive
Max Speed: 55km/h 34miles/h
Brake: Front disc brake, Rear disc brake
Seat height: 790mm
Ground Clearance: 235mm
Front Wheel size: 23X7-10(10inch) on steel
Rear Wheel size: 22X10-10(10inch) on steel
Package: Iron cage with carton outside
Net weight: 165kgs
Gross weight: 190kgs
Carton size: 165x104x80cm/pc
Container: 14pcs/20ft, 48pcs/40HQ



AT1801 FOR ADULT

Piston displacement: 150cc CVT with gear (F-N-R)
Transmission: Chain drive
Max Speed: 55km/h 31mile/h
Brake: Front disc brake, Rear disc brake
Starting system: Electric & Kick start
Battery spec: 12V,9AH
Product size: 1880*1080*1280mm
Wheelbase: 1285mm
Seat height: 800mm
Front Wheel size: Front: AT23x7-10
Rear Wheel size: AT22x10-10
Minimum Ground clearance: 285mm
Package: Iron cage with carton outside
Net weight: 165kgs
Gross weight: 190kgs
Carton size: 165x104x80cm/1pc
Container: 14pcs/20ft, 48pcs/40HQ



AT2500 FOR ADULT

Product size: 1800 x 1110 x 1120mm
Piston Displacement: 250cc
Engine type: Air Cooling, Single Cylinder
Battery: 12V 9Ah
Max speed: 60KM/H
Transmission: Shaft Driving
Brake: Front & Rear hydraulic disc brake
Max Speed: 60km/h
Front Wheel size: 12in Aluminum
Rear Wheel size: 12in Aluminum
Package: Iron cage with carton outside
Net weight: 135kgs/273bs
Gross weight: 158kgs/328lbs
Carton size: 148 x 84 x 82cm/pc
Container: 22pcs/20ft, 66pcs/40HQ

GAS ATV FOR BIG ADULT



AT1801 4X4 FOR ADULT

Product size: 1850x1150x1100mm
Piston displacement: 250cc Zongshen Brand Constant mesh, two stage transmission ,6-speed Gearshift
Single cylinder,4-stroke,4-valve,water-cooling, camshaft upward
Transmission: shaft drive 4X4, 4 wheel drive
Clutch: Manual Wet Multi-Plate
Starter: CFW Electric starter
Battery: 12V 9AH
Wheelbase:1210mm
Max speed: 80km/h
Front Wheel size: Front: AT23x7-10
Rear Wheel size: AT22x10-10
Brake: Front disc brake, Rear disc brake
Mini ground clearance: 180mm
Seat height: 800mm
Ground clearance: 41cm
Handle height: 110cm
Max load capacity: 200KGS
Container: 12pcs/20ft, 26pcs/40HQ



AT2502 4X4 With Cargo For Farm

Rear Cargo size: 1.5*1.2M
Product size: 2900*1250*1450mm
Piston displacement: 250cc Zongshen Brand Constant mesh, two stage transmission ,6-speed Gearshift
Single cylinder,4-stroke,4-valve,water-cooling, camshaft upward
Transmission: shaft drive 4X4, 4 wheel drive
Wheelbase: 1950mm
Clutch: Manual Wet Multi-Plate
Starter: CFW Electric starter
Battery: 12V 9AH
Max speed: 50KM/H
Max.Power(kw/r/min): 11.5/7000
Max.Torque (N.m/r/min): 19.5/5000
Bore and Stroke(mmxmm): 1700±100r/min
Front wheel space: 970mm; Rear wheel space:990mm
Minimum Ground clearance: 220mm
Seat height: 780±20mm
Handle height: 1100mm
Max Load capacity: 500KGS
Brake: Front and rear disc brake
Wheel size: Front 23x7-10; Rear 22x10-10 Aluminum wheelrim



Mini Jeep FOR ADULT

Wheel number: 4
Basic price Piston displacement: 200cc Jinlong Engine
Dimension: 2350x1450x1460mm
Engine type: 4 stroke, Air Cooled, GY6, Single Cyclinder, Fully-automatic with reverse
Gear: F-N-R forward, neutral and reverse gears
Load capacity: 300KGS
Ignition: CDI
Max. Speed: 60 km/h
Wheel size: Front 23x7-10; Rear 22x10-10
Aluminum wheelrim
Starter: Electric start
Battery: 12V,9AH
Clutch: CVT
Transmission: Chain Drive
Fuel Tank Capacity: 15L
Economic fuel consumption: 3L/100km
Brake Front: Hydraulic disc brakes
Brake Rear: Hydraulic disc brakes
Ground Clearance: 180mm

GAS ATV FOR BIG ADULT



AT2500 4X4 FOR ADULT

Displacement: 250cc, 4x4 Zongshen engine, water cooled, Manual clutch
Starting System: Electric start
Cooling Water cooled
Gear system: 5 front gears and 5 rear gears
Final drive: Shaft drive
Suspension: Front and rear hydraulic shock
Tires (front/rear): 10 inch aluminum wheels, vacuum tire
Brakes: Front and rear disc brake
Product size: 1700x1150x1100mm
wheelbase: 1210mm
Ground Clearance: 410mm
Tank: 5L, metal tank
Max. speed: 80km/h
Max. loading: 240kgs

Package: Iron cage with carton outside
Net weight: 260kg/572Lbs
Gross weight: 300kg/660Lbs
Carton size: 170x115x110cm/1pc
Container: 12pcs/20ft, 26pcs/40HQ



AT2011 FOR ADULT

Piston displacement: 200cc CVT with gear (F-N-R)
Transmission: Chain drive
Speed: 75km/h; 46.50mile/h
Shock suspensions: front McPherson independent suspension, rear independent shock suspensions.
Brake: Front disc brake, Rear disc brake
Starting system: Electric & Pull start
Battery spec: 12V, 9AH
Fuel Tank: 7.8L
Product size: 2080x1240x1350mm
Wheelbase: 1285mm
Seat height: 890mm
Loading Capacity: 240kg/528Lbs
Front Wheel size: Front: AT23x7-10
Rear Wheel size: AT22x10-10
Aluminum wheel rim
Minimum Ground clearance: 285mm
Package: Iron cage with carton outside
Net weight: 220kgs/484Lbs
Gross weight: 240kgs/528Lbs
Carton size: 172x92x87cm/1pc
Container: 14pcs/20ft, 48pcs/40HQ



AT2011 SNOW FOR ADULT

Piston displacement: 200cc CVT with gear (F-N-R)
Transmission: Chain drive
Speed: 45km/h; 28mile/h
Shock suspensions: front McPherson independent suspension, rear independent shock suspensions.
Brake: Front disc brake, Rear disc brake
Starting system: Electric & Pull start
Battery spec: 12V, 9AH
Fuel Tank: 7.8L
Product size: 2080x1240x1350mm
Wheelbase: 1285mm
Seat height: 890mm
Loading Capacity: 240kg/528Lbs
Front Track size: 75 x 12cm
Rear Sledge size: 120 x 60 x 20cm
Aluminum wheel rim
Minimum Ground clearance: 285mm
Package: Iron cage with carton outside
Net weight: 220kgs/484Lbs
Gross weight: 240kgs/528Lbs
Carton size: 162x107x87cm
Container: 14pcs/20ft, 42pcs/40HQ

GAS ATV FOR BIG ADULT



AT3005 300CC FOR ADULT

Piston displacement: 300cc
Engine type: Water Cooling CVT
Max Speed: 80KM/H
Loading Capacity: >300kg/660Lbs
Brake: Front disc brake, Rear disc brake
Starting system: Electric start
Battery spec: 12V,9AH
Product size: 1950 x1090 x 1320mm
Wheelbase: 1330mm
Seat height: 820mm
Front Wheel size: Front: AT25*8-12
Front wheel clearance: 910mm
Rear Wheel size: AT25*10-12
Rear Wheel clearance: 890mm
Fuel tank capacity: 8.5L
Minimum Ground clearance: 325mm
Package: Iron cage with carton outside
Net weight: 230kgs/506lbs
Gross weight: 250kgs/550lbs
Carton size: 190 x111x85cm/1PC
Container: 12pcs/20ft, 36pcs/40HQ



UT2002 230CC SHAFT DRIVE

Product size: 2550 x 1600 x 1550mm
Wheelbase: 1900mm
Piston displacement: 230cc F+N+R
Engine type: Oil cooling, 4 stroke
Start: Electric starter
Battery: 12V 9Ah
Transmission: Auto clutch, Shaft drive
Brake: Front & Rear hydraulic disc brake
Front Wheel size: 22X7-10
Rear Wheel size: 22x10-10
Ground Clearance: 220mm
Loading Capacity: 300kg; 660Lbs
Speed: 60km/h; 37mile/h

Package: Iron cage with carton outside
Net weight: 355kgs/781Lbs
Gross weight: 400kgs/880Lbs
Carton size: 230x141x90cm/pc
Container: 8pcs/20ft, 16pcs/40HQ



UT2002 4X4 350CC GO KART

Product size: 2950 x 1600 x 1750mm
Wheelbase: 1900mm
Piston displacement: 350cc H+L+N+R
2W and 4W can change
Engine type: Oil cooling, 4 stroke
Start: Electric starter
Battery: 12V 9Ah
Transmission: Auto clutch, Shaft drive
Brake: Front & Rear hydraulic disc brake
Front Wheel size: 25X8-12
Rear Wheel size: 25x10-12
Ground Clearance: 250mm
Loading Capacity: 350kg; 770Lbs
Speed: 80km/h; 50mile/h

Package: Iron cage with carton outside
Net weight: 355kgs/781Lbs
Gross weight: 400kgs/880Lbs
Carton size: 230x141x90cm/pc
Container: 8pcs/20ft, 16pcs/40HQ

BIG ADULT GO KART AND ATV



AT3004 FOR ADULT

Piston displacement: 300cc
Engine type: Water Cooling CVT
Ignition: CDI
Max torque: 22Nm/5000r/min
Max power: 13.5Kw/7000r/pm
Max Speed: 65km/h 40mi/h
Brake: Front disc brake, Rear disc brake
Starting system: Electric start
Battery spec: 12V,9AH
Product size: 1970*1150*1200MM
Wheelbase: 770mm Seat height: 780mm
Front Wheel size: Front: AT25*8-12
Front wheel clearance: 910mm
Rear Wheel size: AT25*10-12
Fuel tank capacity: 8.5L
Minimum Ground clearance: 180mm
Package: Iron cage with carton outside
Net weight: 230kgs/506lbs
Gross weight: 250kgs/550lbs
Carton size: 1970*1140*830mm/pc
Container: 12pcs/20ft, 36pcs/40HQ



UT200 I FOR ADULT

Overall dimensions: 2350 x 1200 x 1530mm
Engine type: 4-stroke, Single-Cylinder, Air cooled
Displacement: 150cc/200cc/300cc
Max power output: 8 kW/8000 r/min-7.6 kW/7000 r/min
Max torque: 10.1 N•m/6000 r/min-10.2 N•m/5000 r/min
Fuel tank capacity: 9.0L
Wheel driving Type: 2x4
Final Drive: Chain drive
Transmission: Auto clutch chain drive
Gear: Manuel, F-N-R
Starting system: Electric start
Battery: 12V, 9A
Brake: Front & Rear Disc Brake
Seat height: 550mm
Wheel size: Front: 21X7-10; Rear: 20.5X10-10
Max speed: 65km/h
Package: Steel frame with carton outside
Net Weight: 253kgs
Gross Weight: 275kgs
Caton Size: 232x120x84cm
Container: 8pcs/20ft; 18pcs/40ft; 26pcs/40HQ



GC202 I FOR ADULT

Overall dimentions: 2450x1650x1490mm
Piston displacement: 200cc
Fuel tank: 9.0 liters
Fuel type: 93#
Engine type: single cylinder, Air-cooling
Starting system: Electric start
Starting battery: 10V, 9Ah
Power transmission: chain drive
Max power: 11kw/7.000rpm
Torque: 17.6/5,500 (N.m/r/min)
Brakes: Front/Rear disc brakes
Wheel size: front: 23*7-10, rear: 22*10-10
Minimum ground clearance: 265mm
Loading capacity: 200kgs/440lbs
Max speed: 65km/h
Climbing ability: >20 degrees
Wheelbase: 1680mm
Package: Iron cage with carton outside
Net weight: 238kgs/524lbs
Gross weight: 263kgs/579lbs
Carton size: 2290x1300x830mm/1pc
Container: 8pcs/20', 27pcs/40'HQ

ADULT GASOLINE GO KART



GC2022 FOR BIG ADULT

Product size: 2300x1550x1470mm
Wheelbase: 1650mm
Engine: 200cc Single Cylinder Oil Cooling
Transmission: Auto clutch, Chain drive
Max speed: 55km/h 35mile/h
Climbing ability: >20 degrees
Start Battery: 10V, 9Ah
Engine Start: Electric and pull starting
Brake: Front & rear hydraulic disc brakes
Fuel Type: NO. 93 Petrol
Fuel Tank Volume: 12 Liter
Minimum Ground Clearance: 270mm
Load capacity: More than 200kgs/440lbs
Wheel size: Front 23x7-10; Rear 22x10-10
Package: Iron cage with carton outside
Net weight: 262kgs/576lbs
Gross weight: 292kgs/642lbs
Carton size: 230 x 143 x 73cm/pc
Container: 12pcs/20ft, 24pcs/40HQ



GC1251 FOR ADULT AND TEENS

Outer dimensions: 1900x1250x1200mm
Piston displacement: 125cc, 150cc optional
Fuel tank: 4.5 liters
Fuel type: 93# petrol
Engine type: 125cc 4 stroke, air-cooling, 1+1
Starting system: electric start(12V 5AH)
Shock suspension: Front and rear dual shock suspension
Power transmission: chain drive
Ignition method: CDI
Brakes: Rear hydraulic disc brake
Wheel size: Front: 145x70-6(6inch), Rear: 16x8-7
Max loading: 200kgs/440lbs
Max speed: 60km/h; 37.30mile/h
Wheelbase: 1480mm
Ground clearance: 192mm
Fuel consumption: 3L/100km
Package: Iron cage with carton outside
Net weight: 93kgs/205lbs
Gross weight: 118kgs/260lbs
Carton size: 192x118x67cm/1pc
Container: 18pcs/20', 52pcs/40'HQ



GC1252 FOR ADULT AND TEENS

Outer Dimensions: 1510x880x1200mm
Piston displacement: 125cc
Fuel tank: 4 liters
Fuel consumption: 3L/100km
Fuel type: 93# petrol
Engine type: 125cc 4 stroke, air-cooling,
Starting system: electric start
Shock suspension: Front and rear dual shock suspension
Brakes: rear Hydraulic brake
Wheel size: front: 14x4.10-6(6inch), rear: 14*5.0-6
Max loading: 100kgs;220lbs
Max speed: 60km/h;37.00mile/h
Seat clearance: 430-510mm
Ground clearance: 220mm
Color: Red, Blue, Black, Orange Etc
Package: Iron cage with carton outside
Net weight: 75kgs/165lbs
Gross weight: 84kgs/185lbs
Carton size: 153x86x66cm/1pc
Dissemble wheels: 140x83x70cm
Container: 33pcs/20', 66pcs/40'HQ

ADULT GASOLINE GO KART



GC630 | 200CC FOR BIG ADULT

User age: > 16
Wheel number: 4
Product size: 1420 x 1030 x 760mm
Wheel base: 1020mm
Ground Clearance: 145mm
Piston displacement: 200cc 6.5HP Lifan Engine
Fuel tank volume: 3.5 liters
Fuel type: 93# petrol
Motor: 4-stroke, 1-cylinder, air-cooled
Starter system: pull starting
Ignition method: CDI
Max speed: 50km/h
Range: 50km
Brake: Rear hydraulic disc brake
Load capacity: 150kgs/330lbs
Wheels Size: front & rear: 16*7-8
Package: Carton Packing
Net weight: 73kgs
Gross weight: 85kgs
Out carton size: 135.5x86.5x50cm/1pc
Container: 40pcs/20', 105pcs/40'HQ



EG1003 8INCH 1000W FOR ADULT

Product dimensions: 1420x930x820mm
Brake: Rear disc hand brake
Suspension: front and rear suspensions
Wheel size: Front & rear 16*7-8
Ground clearance: 25cm
Color available: red, black, blue, silver, yellow and green

Motor: 1000W Brushless Motor
Battery: 48V 20Ah Lead-acid
Top speed: 35km/h
Transmission: Gearbox shaft drive
Load capacity: 150kgs/330lbs

Package: Carton Packing
Net weight: 70kgs/80kgs
Gross weight: 82kgs/92kgs
Out carton size: 135.5x86.5x50cm/1pc
Container: 40pcs/20', 105pcs/40'HQ



JW300 | 4X4 FOR ADULT 4 SEAT

Product size: 2900x1520x1620mm
Piston Displacement: 300cc 4 wheel drive
Engine type: Water Cooling, Single Cylinder, 4 stroke
Oil tank: 25L
Seat Number: 4
Clutch type: dry automatic centrifugal
Start battery: 12V9AH
Transmission method: rear drive axle with integrated bridge differential.
Transmission type: continuously variable CVT
Economic fuel consumption: 6L/100km
Max load capacity: 450kg/990Lbs
Brake form: four-wheel hydraulic disc brake
Ground Clearance: 270mm
Fuel type: 92# or above gasoline
Star: Electric Starter Wheel Size: 12inch
Package: Iron cage with carton outside
Net weight: 500kgs/1100Lbs
Gross weight: 528kgs/1162Lbs
Carton size: 271.5 x 141 x 95cm/1PC
Container: 6pcs/20ft, 12pcs/40HQ

ADULT GASOLINE GO KART



GC1107 GO KART FOR TEENAGER

Product size: 1670 x 1020 x 1190mm
Piston Displacement: 110cc 1+1 with reverse
Engine type: Air Cooling, Single Cylinder
Battery: 12V 5Ah
Transmission: Chain Driving
Brake: Front & Rear hydraulic disc brake
Seat height: 300mm
Front Wheel size: 145/70-6
Rear Wheel size: 18x8-7

Package: Iron cage with carton outside
Net weight: 124kgs/273lbs
Gross weight: 149kgs/328lbs
Carton size: 170 x 76 x 58mm/pc
Container: 30pcs/20ft, 84pcs/40HQ



GC6301-2 12CC CVT WITH REVERSE

Product size: 1550 x 990 x 790mm
Wheel base: 1100mm
Ground Clearance: 275mm
Engine displacement: 212cc 7.5HP OHV
Fuel tank volume: 6.5 liters
Fuel type: 93# petrol
Motor: 4-stroke, 1-cylinder, air-cooled
Starter system: pull & electric starting
Ignition method: CDI
Max speed: 50km/h; 31Miles/h
Range: 50km/31Miles
Brake: Rear hydraulic disc brake
Load capacity: 150kgs/330lbs
Wheels Size: front & rear: 16*8-7
Climbing capacity: ≥25 degree
Color available: black, red, blue, green etc.
Package: Carton Packing
Net weight: 66kgs/145Lbs
Gross weight: 75kgs/165Lbs
Out carton size: 144x85x62cm/1PC
Container: 30pcs/20', 84pcs/40'HQ



GC2023 212CC CVT WITH REVERSE

Product size: 1450 x 1010 x 1200mm
Motor power: Lifan 212cc OHV Gear box
Start: Pull starting
Fuel tank: 6.5L
Max speed: 60km/h; 37mile/h
Brake: Rear hydraulic disc brakes
Transmission: Chain drive transmission
Wheel size: Front: 16*8-7, Rear: 16*8-7
Max climbing capacity: 35 degrees
Max load capacity: 200kgs/264Lbs
Wheelbase: 1200mm
Front 2 wheel clearance: 705mm
Rear 2 wheel clearance: 685mm
Leg clearance: 60-80cm
Ground clearance: 200mm
Color available: red, blue, black etc.

Package: Iron cage with carton outside
Net weight: 100kgs/220Lbs
Gross weight: 125kgs/275Lbs
Carton size: 146x94x55cm/1pc
Container: 32pcs/20ft, 64pcs/40ft HQ

ADULT GASOLINE GO KART



JW3002 4X4 4 SEAT 320CC JEEP

Product size: 330x140x175cm
Piston Displacement: 320cc 4 Wheel drive
Engine type: Water Cooling, Single Cylinder, 4 stroke
Oil tank: 20L
Seat Number: 4
Shock absorption: front thick shock absorption, rear spring steel plate shock absorption
Start battery: 12V9AH
Transmission method: Shaft drive with integrated bridge differential.
Gear: F-N-R
Max load capacity: 500KGS
Brake form: four-wheel hydraulic disc brake
Ground Clearance: 270mm
Star: Electric Starter
Wheel Size: 12inch
Package: Iron cage with carton outside
Net weight: 500kgs/1100Lbs
Gross weight: 528kgs/1162Lbs
Carton size: 300 x 140 x 90cm/1PC
Container: 2pcs/20ft, 6pcs/40HQ



JW3003 4X4 TRAILER JEEP

Product size: 330x140x175cm
Piston Displacement: 350cc 4 Wheel drive
Engine type: Water Cooling, Single Cylinder, 4 stroke
Oil tank: 20L
Seat Number: 4
Shock absorption: front thick shock absorption, rear spring steel plate shock absorption
Start battery: 12V9AH
Transmission method: Shaft drive with integrated bridge differential.
Gear: F-N-R
Max load capacity: 500KGS
Brake form: four-wheel hydraulic disc brake
Ground Clearance: 270mm
Star: Electric Starter
Wheel Size: 12inch
Package: Iron cage with carton outside
Net weight: 500kgs/1100Lbs
Gross weight: 528kgs/1162Lbs
Carton size: 330x140x100cm/1PC
Container: 2pcs/20ft, 6pcs/40HQ



TANKO I 200CC GAS TANK

Product size: 1930x110x950mm
Motor: 200cc Air Cooling Engine
Transmission: Chain drive
Fuel Tank: 15L
Range: 60km; 40mile
Track Size: 150x72x47mm
Adjustable Seat Clearance: 100mm
Load capacity: 300kgs/660lbs
Max speed: 30km/h; 18.5mile
Ground Clearance: 189mm

Package: Iron cage with carton outside
Net weight: 300kgs/660lbs
Gross weight: 335kgs/737lbs
Carton size: 180x115x87cm/pc
Container: 16pcs/20ft, 36pcs/40HQ

CROSS GO KART/SEA SCOOTER



GC630 I CROSS GO KART ADULT

Product size: 1270 x 870 x 550mm
Wheel base: 950mm
Ground Clearance: 80mm
Piston displacement: 63cc
Fuel tank volume: 1.60 liters
Fuel type: unleaded petrol/oil mix (ratio 25:1)
Motor: 2-stroke, 1-cylinder, air-cooled
Starter system: pull starting
Ignition method: CDI
Max speed: 35km/h
Range: 15km/40minute
Brake: Rear hydraulic disc brake
Load capacity: 150kgs/330lbs
Wheels Size: front & rear: 10 3.5-4
Climbing capacity: ≥25 degree
Color available: black, red, blue, green etc.
Package: Carton Packing
Net weight: 45kgs
Gross weight: 53kgs
Carton size: 108x59x40cm/1pc
Container: 95pcs/20', 246pcs/40'HQ



SS300 I SEA SCOOTER

Power: 300 Watts DC Electric Motor
Battery: 6Ah, 24volt lead-acid
Battery net weight: 3.7kg
Battery size: 15x10x9.8cm
Run time: 40-60 minutes on one time charge
Depth rating: 10 meters
Outer dimensions: 600 x 360 x 310 mm
Net Weight: 7.5kg /16.5 lbs(battery included).
Gross Weight:: 9.5kg /20.9lbs
Packing size: 64x39x35cm/1pc
Container: 350pcs/20ft; 720pcs/40ft, 800pcs/40ft HQ

Max speed for SS3001: 3KM/H under water.
Max depth for SS3001 underwater: 10M
With 24V 6Ah lead acid battery:
can use 40mins under water.



SS500 I SEA SCOOTER

Power: 500 Watts DC Electric Motor
Max speed: 5KM/H
Battery: 6Ah, 24volt lead-acid
Battery net weight: 3.7kg
Battery size: 15x10x9.8cm
Run time: 30-50 minutes on one time charge
Depth rating: 20 meters
Outer dimensions: 600 x 360 x 310 mm
Net Weight: 8.2kg /16.4 lbs(battery included).
Gross Weight:: 9.5kg /20.9lbs
Packing size: 64x39x35cm/1pc
Container: 350pcs/20ft; 720pcs/40ft, 800pcs/40ft HQ

Max speed for SS5001: 5KM/H under water.
Max speed for SS5001 with brushless motor:
8KM/H under water.
Max depth for SS5001 underwater: 20M
With 24V 12Ah LiFePO4 lithium battery:
can use 80mins under water.

CITYCOCO ELECTRIC SCOOTER



ES5018 FOR ADULT

Product size: 1430x370x700mm

Motor power: 500W hub brushless motor

Battery capacity: 12Ah, 48V lithium battery

Load Capacity: >120kgs/396lbs

Charging time: 1-2 hours

Max speed: 35-45km/h(based on request)

Range per charge: Approx 40km

48V 12Ah: Around 30KM per charge

60V 12Ah: Around 55KM per charge

Brake: Front and Rear Disc Brake

Tire size: 6inch tubeless tire

Wheelbase: 1080mm

Seat height: 630mm

Climbing Capacity: >18 degree

Color available:Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 41kg

Gross weight: 44kgs

Out carton size: 143 x 28 x 75cm/1pc

Container: 92pcs/20', 192pcs/40',226cs/40'HQ



ES8004I FOR ADULT

Product size: 1756x750x700mm

Motor power: 1000W/1500W hub brushless motor

Battery capacity: 12Ah-20Ah, 60V lithium battery

Load Capacity: >120kgs

Charging time: 4-6 hours

Max speed: 35-55km/h(based on request)

60V 12Ah Range per charge: 35km

60V 15.6Ah, 18.2Ah, 20Ah Available

Brake: Front and Rear Disc Brake

Tire size: 18*9.50-8 tubeless tire

Wheelbase: 1256mm

Seat height: 700mm

Climbing Capacity: >18 degree

Color available:Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 60kg/132.00lbs

Gross weight: 63kgs/138.60lbs

Out carton size: 175 x 40 x 80cm/1pc

Container:

45pcs/20', 87pcs/40',108pcs/40'HQ



ES8004IV FOR ADULT

Product size: 1756x750x700mm

Motor power: 1000W/1500W hub brushless motor

Battery capacity: 12Ah-20Ah, 60V lithium battery

Load Capacity: >120kgs

Charging time: 4-6 hours

Max speed: 35-55km/h(based on request)

60V 12Ah Range per charge: 35km

60V 15.6Ah, 18.2Ah, 20Ah Available

Brake: Front and Rear Disc Brake

Tire size: 18*9.50-8 tubeless tire

Wheelbase: 1256mm

Seat height: 700mm

Climbing Capacity: >18 degree

Color available:Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 60kg/132.00lbs

Gross weight: 63kgs/138.60lbs

Out carton size: 175 x 40 x 80cm/1pc

Container:

45pcs/20', 87pcs/40',108pcs/40'HQ

CITYCOCO ELECTRIC SCOOTER



EMO1 5000W EEC COC APPROVED

Handle bar width: 78CM

Height: 109CM

Length: 203CM

Motor power: 5000W hub brushless motor

Battery capacity: 30Ah, 72V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 6-8 hours

Max speed: 82km/h on 5000W

Range per charge: 72V 30AH: 65KM

72V 50AH: 110KM

Brake: Brake with motorcycle standard CBS brake

Front wheel: 13inch

Rear Tire size: 215/40-12 tubeless tire

Seight height: 58CM

Climbing Capacity: >35 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 110kgs

Gross weight: 114kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ

EMO2 3000W EEC COC APPROVED

Handle bar width: 78CM

Height: 109CM

Length: 203CM

Motor power: 3000W hub brushless motor

Battery capacity: 20Ah, 60V Lithium battery

Load Capacity: >180kgs/396lbs

Charging time: 6-8 hours

Max speed: 62km/h on 3000W

Range per charge: 120km if you choose
max 60V 50Ah battery

Brake: Front and Rear Disc Brake

Front wheel: 13inch

Rear Tire size: 215/40-12 tubeless tire

Seight height: 58CM

Climbing Capacity: >35 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 84kgs

Gross weight: 88kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ

ES8008 4000W EEC COC APPROVED

Product size: 2150x380x1160mm

Motor power: 3950W hub brushless motor

Battery capacity: 40Ah, 60V Lithium battery

Load Capacity: >300kgs

Charging time: 6-8 hours

With 4A charger

Max speed: 75KM/H

Range per charge: 80km

Brake: Front and Rear Disc Brake

Tire size: 215/40-12 tubeless tire

Aluminum Wheelrim

Wheelbase: 1540mm

Seat height: 700mm

Climbing Capacity: >25 degree

Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing

Net weight: 84kgs

Gross weight: 88kgs

Out carton size: 186x38x80/1pc

Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ

CITYCOCO ELECTRIC SCOOTER



ES8004VI FOR ADULT

Product size: 1756x750x700mm
Motor power: 1000W/1500W hub brushless motor
Battery capacity: 12Ah, 60V Lithium battery
Load Capacity: >180kgs/396lbs
One battery Charging time: 6-8 hours
Max speed: 35km/h for 1000W 55km/h for 1500W
With two battery space, under footboard and seat
Brake: Front and Rear Disc Brake
Tire size: 18*9.50-8 tubeless tire
Wheelbase: 1256mm
Seat height: 700mm
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton + Iron Packing
Net weight: 76kgs
Gross weight: 79kgs
Out carton size: 186x38x80/1pc
Container: 42pcs/20', 87pcs/40', 108pcs/40'HQ

ES8004VII FOR ADULT

Product size: 1756x750x700mm
Motor power: 1000W/1500W hub brushless motor
Battery capacity: 12Ah, 60V Lithium battery
Load Capacity: >180kgs/396lbs
Charging time: 6-8 hours
Max speed: 35km/h for 1000W 55km/h for 1500W
Two battery space under footboard and seat
Brake: Front and Rear Disc Brake
Tire size: 18*9.50-8 tubeless tire
Wheelbase: 1256mm
Seat height: 700mm
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton + Iron Packing
Net weight: 76kgs
Gross weight: 79kgs
Out carton size: 186x38x80/1pc
Container: 42pcs/20', 87pcs/40', 108pcs/40'HQ

ES8004VII EEC COC APPROVED

Product size: 1756x750x700mm
Motor power: 1500W hub brushless motor
Battery capacity: 20Ah, 60V Lithium battery
Load Capacity: >180kgs/396lbs
Charging time: 6-8 hours
Max speed: 55km/h for 1500W
Range per charge: 60km for 60V 20Ah
Brake: Front and Rear Disc Brake
Tire size: 18*9.50-8 tubeless tire
Wheelbase: 1256mm
Seat height: 700mm
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton + Iron Packing
Net weight: 76kgs
Gross weight: 79kgs
Out carton size: 186x38x80/1pc
Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ

CITYCOCO ELECTRIC SCOOTER



EEC



CE



ES8004VIII EEC COC APPROVED

Product size: 1756x750x700mm
Motor power: 1500W hub brushless motor
Battery capacity: 20Ah, 60V Lithium battery
Load Capacity: >180kgs/396lbs
Charging time: 6-8 hours
Max speed: 55km/h for 1500W
Range per charge: 60km for 60V 20Ah
Brake: Front and Rear Disc Brake
Tire size: 18*9.50-8 tubeless tire
Wheelbase: 1256mm
Seat height: 700mm
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton + Iron Packing
Net weight: 60kgs
Gross weight: 63kgs
Out carton size: 186x38x80/1pc
Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ



ES8007 COBRA EEC APPROVED

Handle bar width: 78CM
Height: 109CM
Length: 203CM
Motor power: 2000W hub brushless motor
Battery capacity: 20Ah, 60V Lithium battery
Load Capacity: >180kgs/396lbs
Charging time: 6-8 hours
Max speed: 61km/h for 2000W
Range per charge: 55km for 60V 20Ah
Brake: Front and Rear Disc Brake
Front wheel: 13inch
Rear Tire size: 215/40-12 tubeless tire
Seat height: 58CM
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc

Package: Carton Packing
Net weight: 72kgs
Gross weight: 75kgs
Out carton size: 186x38x80/1pc
Container: 42pcs/20', 87pcs/40', 102pcs/40'HQ



ES8009 WIDE EEC COC APPROVED

Width: 1100mm
Height: 1090mm
Length: 2210mm
Motor power: 2X2 2000W rear HUB motor, 4000W Brushless motor
Battery capacity: 20Ah, 60V Lithium battery
Load Capacity: >180kgs/396lbs
Charging time: 6-8 hours
Max speed: \geq 61km/h
Range per charge: 45km on 60V 20Ah
Brake: Front and Rear Disc Brake
Front wheel: 13inch
Rear Tire size: 215/40-12 tubeless tire Wide rear motor
Seat height: 580mm
Climbing Capacity: >35 degree
Color available: Blue, Red, Brown, Green, Black etc

Package: Carton Packing
Net weight: 106kgs/233lbs
Gross weight: 110kgs/242lbs
Out carton size: 186x56x83cm/1pc
Container: 24pcs/20', 72pcs/40'HQ

ELECTRIC SCOOTER



ES8005 FOR ADULT

Product size: 1300x550x1100mm
Front fork adjustable height range: 100-110cm
Seat height: 70-85cm
Ground clearance: 105mm
Motor power: 800W hub brushless motor
Battery capacity: 12Ah, 48V Lithium battery
Load Capacity: >120kgs/396lbs
Charging time: 4-6 hours
Max speed: 25km/h
Range per charge: Approx 25-30km
Brake: Front and Rear Disc Brake
Tire size: 10*6.0-5.5 tubeless tire
Wheelbase: 980mm
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc
Package: Carton Packing
Net weight: 41kg/90.2lbs
Gross weight: 44kgs/96.8lbs
Out carton size: 129x33x59cm/1pc
Container: 92pcs/20', 226cs/40'HQ



ES5019 FOR ADULT

Product size: 1300x590x1000mm
Size on folding: 1300x590x590mm
Ground clearance: 150mm
Motor power: 500W hub brushless motor
Battery capacity: 12Ah, 48V lithium battery
Load Capacity: >120kgs/396lbs
Charging time: 1-2 hours
Max speed: 35-45km/h(based on request)
Range per charge: Approx 40km
48V 12Ah: Around 30KM per charge
Brake: Front and Rear Disc Brake
Tire size: 10*6.0-5.5 tubeless tire
Wheelbase: 1080mm
Seat height: 630mm
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc
Package: Carton Packing
Net weight: 41kg/90.2lbs
Gross weight: 44kgs/96.8lbs
Out carton size: 130*32*61cm/1pc
Container: 90pcs/20', 245pcs/40'HQ



ES8006 FOR ADULT

Product size: 1756x750x700mm
Motor power: 1500W hub brushless motor
Battery capacity: 20Ah, 60V Lithium battery
Load Capacity: >180kgs/396lbs
Charging time: 4-6 hours
Speed: 50km/h; 31miles
Range per charge: 60km; 37miles
Brake: Front and Rear Disc Brake
Tire size: 10inch Aluminum wheelrim
Wheelbase: 1256mm
Seat height: 700mm
Climbing Capacity: >18 degree
Color available: Blue, Red, Pink, Yellow, Green Black etc
Package: Iron cage with carton outside
Net weight: 105kgs; 231lbs
Gross weight: 120kgs; 264lbs
Out carton size: 186x38x80/1pc
Container: 42pcs/20', 102pcs/40'HQ

ELECTRIC MINI BIKE FOR KIDS



ES3508 FOR KIDS


Product size: 920X600X700mm
Motor power: 350W brushed motor
Battery capacity: 8AH, 24V lead-acid battery
Input Voltage: AC100-240V
Load Capacity: >50kgs
Charging time: 4-6 hours
Max speed: 15km/h
Range per charge: 20km
Brake: Rear Disc Brake
Tire size: 110/50-6.5
Seat height: 438mm
Ground clearance: 108mm
Color available: Various Colors
Package: Carton Packing
Net weight: 23kgs
Gross weight: 25kgs
Out carton size: 980*250*550mm/1pc
Container: 200pcs/20', 430pcs/40'HQ

ES3508 BRUSHLESS FOR KIDS

Age: Above 8 years
Product size: 920X600X70mm
Motor power: 350W brushless hub motor
Battery capacity: 8AH, 24V lead-acid battery
Input Voltage: AC100-240V
Load Capacity: >50kgs
Charging time: 4-6 hours
Max speed: 15km/h
Range per charge: 20km
Brake: Rear Disc Brake
Tire size: 110/50-6.5
Seat height: 438mm
Ground clearance: 108mm
Color available: Various Colors
Package: Carton Packing
Net weight: 23kgs/50.6Lbs
Gross weight: 25kgs/55Lbs
Out carton size: 980x250x550mm/1pc
Container: 200pcs/20', 430pcs/40'HQ

ES3509 FOR KIDS

Age: Above 8 years
Product size: 920X600X680mm
Motor power: 350W brushless motor
Battery capacity: 3.6AH, 36V lithium battery
Input Voltage: AC100-240V
Load Capacity: >80kgs/176Lbs
Charging time: 4-6 hours
Max speed: 20km/h
Range per charge: 20km
Brake: Rear Drum Brake
Tire size: Front 90/65-6.5; Rear 13x5.0-6
Seat height: 445mm
Ground clearance: 120mm
Color available: Various Colors
Package: Carton Packing
Net weight: 17kgs/37Lbs
Gross weight: 21kgs/46Lbs
Out carton size: 92x28x58cm/1pc
Container: 200pcs/20', 410pcs/40'HQ



(Business Registered Number:37134098)

Tel:(86 579) 8729 7180 E-mail: sales@mademoto.com

Add: Yongkang, Zhejiang, China 321300

Mobile:(0086) 150 5796 3103 Skype ID: mademoto / QQ: 12341124 / Whatsapp: 0086 150 5796 3103 / WeChat: 150 5796 3103

[Http://www.mademoto.com](http://www.mademoto.com)